

Expert Report
Independent Planning Commission
Final Determination Hearing
14 November 2018

Professor Will Steffen
Emeritus Professor, The Australian National University
Senior Fellow, Stockholm Resilience Centre

Executive Summary

1. Anthropogenic climate change is real and poses serious risks for the wellbeing of humans and our societies. These risks rise rapidly and nonlinearly with the rise in global average surface temperature.
2. Recognising that the risks to human wellbeing of unchecked climate change are too high to accept, governments around the world have agreed to limit warming to 1.5-2.0°C (the 2015 Paris accord).
3. The carbon budget approach is the most robust way to determine the rate of emissions reductions required to meet the goals of the Paris accord. This approach limits the cumulative amount of additional CO₂ emissions that can be allowed consistent with the Paris accord.
4. To meet a 2°C carbon budget, a very rapid phase-out of all fossil fuel usage by 2050 at the latest, or preferably earlier, is required. The 1.5°C carbon budget is smaller, requiring an even more rapid phase-out of fossil fuel usage.
5. This means that the majority of the world's existing fossil fuel reserves must be left in the ground, unburned. Furthermore, no new fossil fuel developments, or extensions to existing fossil fuel mines or wells, can be allowed.

Introduction

6. I have prepared this report in response to an expert brief provided to me by EDO NSW acting on behalf of Bylong Valley Protection Alliance (BVPA), dated 2 November 2018 (**Appendix A**).
7. I have reviewed Division 2 of Part 31 and the Expert Witness Code of Conduct under the *Uniform Civil Procedure Rules 2005* and I agree to be bound by their terms.
8. I declare that I have made all inquiries which I believe are desirable and appropriate (save for any matters identified explicitly in the report), and that no matters of significance which I regard as relevant have, to my knowledge, been withheld.
9. A copy of my curriculum vitae, including my relevant qualifications, is attached (**Appendix B**).

Anthropogenic climate change and its impacts

10. Anthropogenic (human-driven) climate change refers to the changes in the climate system caused by human activities, primarily the emission of greenhouse gases into the atmosphere. The most important of these gases is carbon dioxide (CO₂), with about 90% of CO₂ emissions arising from fossil fuel (coal, oil, gas) combustion and the remainder from land-use change (Le Quéré et al. 2017).
11. Greenhouse gases change the climate by trapping outgoing heat (long-wave radiation) from the Earth's surface and retaining it in the lower atmosphere and at the surface, thus increasing the energy of the climate system and raising its average temperature (Intergovernmental Panel on Climate Change (IPCC) 2013).
12. Currently global average surface temperature is about 1°C higher than pre-industrial levels and 2014, 2015, 2016 and 2017 have been the four hottest years on record (National Oceanic and Atmospheric Administration, USA (NOAA) 2018).

13. The rate of climate change is alarming. The rise in atmospheric CO₂ concentration is up to 10 times faster than the most rapid changes in the geological record (Lüthi et al. 2008). Since 1970 global average surface temperature has been rising at a rate of 1.7°C per century, compared to a 7,000-year background rate of change of about 0.01°C per century (NOAA 2016; Marcott et al. 2013).
14. Many other features of the climate system, in addition to global average surface temperature, are changing as a result of anthropogenic greenhouse gas emissions (IPCC 2013). These include changes in the basic circulation patterns of the atmosphere and the ocean, increasing intensity and frequency of many extreme weather events, increasing acidity of the oceans, rising sea levels and consequent increases in coastal flooding, and intensification of the hydrological cycle.
15. The impacts of climate change are already being felt around the world. As reported by the IPCC (2013), the most authoritative assessment body on the science of climate change, some of the most important impacts are:
 - a) Warmer and/or fewer cold days and nights over most land areas.
 - b) Warmer and/or more frequent hot days and nights over most land areas.
 - c) Increases in the frequency and/or duration of heat waves in many regions.
 - d) Increase in the frequency, intensity and/or amount of heavy precipitation (more land areas with increases than with decreases).
 - e) Increases in intensity and/or duration of drought in many regions since 1970.
 - f) Increases in intense tropical cyclone activity in the North Atlantic since 1970.
 - g) Increased incidence and/or magnitude of extreme high sea levels.
16. The impacts of climate change are also being felt in many ways across Australia, especially in the form of changes in extreme weather events (CSIRO and BoM 2015).
17. The evidence for the influence of climate change on worsening extreme weather include:
 - a) The fact that all extreme weather events are now occurring in an atmosphere that is warmer and wetter than it was 70 years ago (Trenberth 2012);
 - b) Long-term data records show observed changes in the nature of extreme weather; and

- c) Climate models run with and without the additional greenhouse gases in the atmosphere from human emissions show the increase in likelihood that a specific extreme weather event would have occurred because of climate change.

18. The most important of these climate-related impacts are (CSIRO and BoM 2015):

- a) Australia's average surface temperature has increased by 0.9°C from 1910 to 2014 (and now to over 1.0°C).
- b) Many heat-related records were broken in the summer of 2012-2013, and again in the two most recent summers. 2013 was Australia's hottest year on record.
- c) Heat waves have increased in duration, frequency and intensity in many parts of the country.
- d) Cool-season rainfall has declined in southeast and southwest Australia and wet-season rainfall has increased in northern Australia.
- e) Heavy daily rainfall has accounted for an increased proportion of total annual rainfall over an increasing fraction of the Australian continent since the 1970s.
- f) Extreme fire weather days have increased at 24 out of 38 monitoring sites from 1973-2010 due to warmer and drier conditions.
- g) For 1966-2009 the average rate of relative sea-level rise along the Australian coast was approximately 1.4 millimetres per year.

19. Southeast Australia has experienced many of the impacts that have been observed around Australia as a whole (CSIRO and BoM 2015). In particular, these include:

- a) Changes in heatwaves, such as more frequent occurrence, increasing number of heatwave days and the hottest day of a heatwave becoming even hotter.
- b) Increases in the Forest Fire Danger Index have occurred mostly in the southeast region of the continent.
- c) Strong drying trends in cool-season rainfall since 1990.
- d) Three-fold increase in coastal flooding in the Sydney region through the 20th century.

20. The central-west region of NSW has also experienced many impacts of climate change.

These include:

- a) Heatwaves have worsened in the following ways: (i) heatwaves are occurring more frequently; (ii) the duration of the longest heatwave is increasing; and (iii) the hottest day of a heatwave is becoming hotter (Perkins and Alexander 2013).
- b) In terms of bushfire weather, in central-west NSW there has been a significant increase in the McArthur Forest Fire Danger Index (FFDI) from 1973 to 2013 (CSIRO and BoM 2015; Clarke et al. 2013).
- c) Observations show mixed changes in rainfall patterns for the region. For the northern wet season (October to April), rainfall has been about average for the 1997-2013 period. However, for the southern cool season (April to September – the main growing season for the agricultural sector), rainfall has been below average (CSIRO and BoM 2015).

Projections of future climate change

- 21. Future climate change will be driven in the near-term (several decades into the future) by the further amount of greenhouse gas emissions emitted by human activities, and in the longer term by both human emissions and feedbacks in the climate system (e.g., melting of permafrost, collapse of the Amazon rainforest) that could emit significant additional amounts of greenhouse gases to the atmosphere.
- 22. The projections for future changes in Australia’s climate include (CSIRO and BoM 2016):
 - a) Temperatures will continue to increase, with more hot days and fewer cool days.
 - b) Oceans around Australia will warm further and acidification will continue.
 - c) Tropical cyclones are projected to decrease in number but increase in intensity.
 - d) Extreme rainfall events are likely to be more intense.
 - e) Harsher fire weather is projected for southern and eastern Australia.
 - f) Further decreases in winter rainfall for southern continental Australia, with an increase in droughts.
- 21. Projected changes in the climate of NSW central-west region include (<https://www.climatechangeinaustralia.gov.au/en/>, based on CSIRO and BoM 2015):
 - a) Average temperatures will continue to increase in all seasons (*very high confidence*).

- b) More hot days and warm spells are projected with *very high confidence*. Fewer frosts are projected with *high confidence*.
- c) Further decreases in winter rainfall are projected with *medium confidence*. Other changes are possible but unclear.
- d) Increased intensity of extreme rainfall events is projected, with *high confidence*.
- e) A harsher fire-weather climate in the future (*high confidence*).

23. Globally, climate change projections for the rest of the 21st century range from:

- a) A low emissions scenario (phasing out fossil fuels by the 2040-2050 period), which leads to a rise in global average surface temperature of 1.5-2.0°C above pre-industrial levels; to
- b) A high emissions scenario, which is based on an increasing level of fossil fuel emissions through this century, leads to a temperature rise of 4°C or greater by 2100 (Collins et al. 2013).

24. Current global emissions are about 10 billion tonnes of carbon (emitted as CO₂) per annum, and have risen steadily since the mid-20th century, when emissions were about 3 Gt C (billion tonnes of carbon, emitted as CO₂) per year (Le Quéré et al. (2017; Figure 3). If the trend of rising emissions is continued, it would put the world on an emissions pathway between the IPCC RCP6.0 and RCP8.5 scenarios¹ (Collins et al. 2013, based on extrapolation of observed emissions trend in Le Quéré C et al. (2017); consistent with analysis in Climate Action Tracker (2018). Based on scenarios of changes in radiative forcing (i.e., the effect of (i) the atmospheric concentration of greenhouse gases and aerosols and (ii) the reflectivity of the Earth's surface on the Earth's surface energy balance – the difference between incoming solar energy and outgoing heat energy), climate models can simulate the resulting changes to the climate system).

25. Model-based projections of the level of climate change consistent with this emissions trajectory would lead to a global average surface temperature rise of 3-4°C by 2100. Thus, the world is currently on a pathway much closer to 21b) than to 21a) above.

¹ "RCP" is Representative Concentration Pathway, which is a scenario for the concentration of greenhouses in the atmosphere. The numbers refer to the 'radiative forcing' for each scenario, in watts per square metre.

26. The IPCC has summarised the risks to humanity of various levels of climate change through the so-called ‘burning embers’ diagram (IPCC 2014), Figure 1 below:




Figure 1: The IPCC ‘burning embers’ diagram – the reasons for concern about the impacts of climate change with increasing temperature. Adapted from IPCC (2014).

27. Figure 1 shows clearly that the impacts and risks of climate change increase nonlinearly with the increase in global average surface temperature, and connects these risks to levels of climate change using global average temperature as the indicator.

28. Figure 1 shows several levels of temperature:

- a) The current observed level, ca. 1°C above pre-industrial levels;
- b) The 1.5-2°C target range for the Paris accord; and
- c) The level of temperature increase by 2100 (ca. 3-4°C above pre-industrial) that would be reached if every country adopted Australia’s level of ambition in terms of targets

and policies (Climate Action Tracker (CAT) 2018²). In its country analysis dated 30 April 2018, CAT identifies that Australia's emissions are set to far exceed its Paris accord Nationally Determined Contributions (NDC) target for 2030 (itself a target which, if followed by all other countries would lead to global warming of over 2°C and up to 3°C). Further, CAT assesses that, if all other countries were to follow Australia's current policy settings, warming could reach over 3°C and up to 4°C.

29. The synthesis of information represented by Figure 1 shows that:

- a) Australia is not doing nearly enough to meet its obligations under the Paris accord, which it signed; and
- b) That if every country followed Australia's level of action, the world would be on a trajectory to reach a 3-4°C temperature rise by 2100 and would thus face extremely damaging levels of climate change impacts (point 26c) above and Figure 1).

30. At today's level of climate change – about 1°C above pre-industrial – many impacts are already occurring. For example, many natural ecosystems are already being severely damaged.

31. In Australia alone, the Great Barrier Reef suffered consecutive mass bleaching events in 2016 and 2017 driven by unusually high surface water temperatures as a result of climate change (Hughes et al. 2017); a large area of Tasmania's World Heritage forests was decimated by bushfires driven by unusually dry conditions with high temperatures (Prof D. Bowman, personal comm.); and a mass die-off of mangroves in the Gulf of Carpentaria which was driven by exceptionally high sea temperatures (Duke et al. 2016). Also at a 1°C temperature rise, extreme weather events are worsening in most parts of the world and severe impacts are already hitting the most vulnerable groups of people and countries (IPCC 2013; IPCC 2014).

32. The Paris accord range of 1.5-2.0°C is by no means 'safe'. As shown in Figure 1, at this level of climate change, the following risks/impacts would be expected:

² The Climate Action Tracker is an independent scientific analysis produced by three research organisations tracking climate action since 2009: www.climateactiontracker.org

- a) Risks to natural ecosystems would be high; this refers to a rapidly rising risk of extinction for vulnerable species as well as increasing damage to ecosystems, such as bleaching of coral reefs and damage to forests by fires and insect attacks.
- b) Extreme weather events would be far worse than today; for Australia this means far more severe heatwaves, more frequent and intense bushfires, an increase in extreme rainfall, and more frequent and damaging coastal flooding.
- c) The risk of widespread impacts on the most vulnerable would rise from moderate towards high; this includes the population of less developed countries who have low resilience and adaptive capacity as well as the most vulnerable people in wealthy countries – children, older people and disadvantaged people.
- d) The aggregated impacts of climate change around the world would increase political tensions and instabilities and take its toll on the global economy; as the most vulnerable countries and groups of people suffer increasing impacts, the risk of conflict and migration increases significantly, creating security threats in other parts of the world (UK MoD (Ministry of Defence) 2010; The White House 2015).
- e) Some important tipping points, such as the Greenland ice sheet, would be at risk of being crossed, driving an unstoppable rise in sea level of up to 7 metres (Kintisch 2017). The summertime Arctic sea ice would almost surely disappear, accelerating warming in the northern high latitudes and disrupting atmospheric circulation patterns (e.g., the jet stream) (Figure 1; Schellnhuber et al. 2016).

33. A 4°C temperature rise would likely lead to a world that would hardly be recognisable today (IPCC 2014; Figure 1). There is a high to very high risk that:

- a) Most of the world's ecosystems would be heavily damaged or destroyed;
- b) Extreme weather events would be far more severe and frequent than today;
- c) The most vulnerable people would increase greatly in number and, as large areas of the world become uninhabitable, migration and conflict would escalate;
- d) The aggregated impacts around the world would significantly damage the entire global economy; and
- e) A cascade of intrinsic tipping points in the climate system could drive ongoing strong warming even as humanity finally took action to reduce its emissions (Figure 1).

34. A ca. 4°C temperature rise would result if all countries adopted Australia's current climate ambition and policy settings (CAT 2018).

Global and Australian targets for stabilising the climate system

35. In 2015, countries around the world carefully assessed the risks of allowing climate change to continue on a high emissions scenario (cf. Figure 1 and “Projections of future climate change” above) and agreed in the Paris accord on a new international framework for tackling climate change. The accord aims to “...*limit global average temperature rise to well below 2 °C and to pursue efforts to limit warming to 1.5 °C*”. The Paris accord is near-universal, with 197 countries signing the agreement.
36. Australia is a signatory to the Paris accord and so has committed to do its part in keeping the global average temperature rise to the 1.5-2.0°C range. Yet Australia’s national greenhouse gas emission reduction target of a 26-28% reduction by 2030 compared to a 2005 baseline (United Nations Framework Convention on Climate Change (UNFCCC) 2015) is, based on an expert analysis by Australia’s Climate Change Authority (CCA 2015), inadequate to meet Australia’s Paris accord obligations.
37. The Climate Change Authority calculated that the appropriate target for Australia, consistent with its Paris accord obligations, would be a 45-65% reduction in emissions by 2030 from 2005 levels (CCA 2015).
38. Australia is not on track to meet its 2030 target, based on a linear emission reduction pathway between 2018 and 2030. Australia’s emissions have actually risen over the past three years so Australia is trending in the wrong direction (Australian Government 2018), much less reducing emissions in order to meet the rate required. In fact, if the rest of the world adopted Australia’s targets and policy settings, global average temperature would be headed for up to 4°C by the end of the century (CAT 2018), with all of the high-risk consequences outlined above.
39. This leads to the question of how does one scientifically determine what is an adequate rate of emission reductions to meet the Paris accord targets. A commonly used approach based on the well-proven relationship between the cumulative anthropogenic emissions of greenhouse gases and the increase in global average surface temperature (Collins et al. 2013) – the one adopted by the Climate Change Authority in 2015 (CCA 2015) – is the carbon budget approach.

The global carbon budget approach to climate stabilisation

40. The ‘carbon budget’ approach is a conceptually simple, yet scientifically robust, approach to estimating the level of greenhouse gas emission reductions required to meet a desired temperature target, for example, the Paris accord 1.5°C or 2°C targets (Collins et al. 2013).
41. The approach is based on the approximately linear relationship between:
- a) The cumulative amount of carbon dioxide (CO₂) emitted from all human sources since the beginning of industrialisation (often taken as 1870); and
 - b) The increase in global average surface temperature (Figure 2; IPCC 2013).
42. Once the carbon budget has been ‘spent’ (emitted), then emissions need to be net zero³ to avoid exceeding the temperature target.

³ “Net zero emissions” means the magnitude of carbon dioxide emissions to the atmosphere is matched by the magnitude of carbon dioxide removal from the atmosphere by, for example, “carbon capture and storage – CCS” technologies, sometimes called “Negative Emission Technologies”. At present these technologies are in the early development stage, and none are technologically or commercially viable yet.




Figure 2: Global mean surface temperature increase as a function of cumulative global CO₂ emissions. The black line is global historical emissions and the coloured lines are climate model projections for various levels of human emissions. The coloured plume represents the spread of results across the models. From IPCC (2013).

43. There are several key areas of uncertainty that influence the carbon budget required to meet a temperature target:

- a) **Probability of meeting the target.** Higher probabilities of meeting a given temperature target (e.g., 2°C) require a more stringent carbon budget. Thus, there is a critical trade-off: relaxing the carbon budget to make it more feasible to meet means that there is a lower probability of achieving the desired temperature target.
- b) **Accounting for other greenhouse gases.** Non-CO₂ gases (e.g., methane (CH₄) and nitrous oxide (N₂O)), which are important contributors to warming, are assumed to be reduced to zero at the same rate as CO₂ is reduced to zero. If non-CO₂ gases are not reduced, or reduced more slowly than CO₂, then the CO₂ budget is reduced accordingly. Most of the CH₄ and N₂O emissions arise from the agricultural sector, where emission reductions are generally considered to be more difficult and expensive to achieve than for the electricity generation sector. Thus, carbon budgets

are often configured on the basis that reduction of CO₂ emissions from the electricity and transport sectors is more technologically feasible and less expensive than for the non-CO₂ gases, and therefore CO₂ emissions should be reduced even further to compensate for the continued emission of non-CO₂ gases.

- c) **Accounting for feedbacks in the climate system.** Carbon cycle feedbacks, such as permafrost melting or abrupt shift of the Amazon rainforest to a savanna, are not accounted for in the carbon budget approach. Including estimates for these would reduce the budget further (Ciais et al. 2013). These are likely to be very significant. Quantitative estimates suggest that at a 2°C temperature rise (the upper Paris accord target), about 100-200 Gt C (billion tonnes of carbon, emitted as CO₂) of additional emissions to the atmosphere (about 10-20 years worth of human emissions at current rates) would be emitted (Ciais et al. 2013; Steffen et al. 2018). The upper estimate would virtually wipe out the remaining carbon budget (see Table 1 below).

44. Applying the carbon budget for a 2°C target demonstrates how it can be used. The IPCC estimates that for a greater than 66% probability of limiting global average temperature rise to no more than 2°C, cumulative human emissions since 1870 must be less than 1,000 Gt C (emitted as CO₂) (IPCC 2013). If non-CO₂ greenhouse gases are not reduced at the same rate, the carbon budget must be reduced by up to a further 210 Gt C to 790 Gt C (see 41b) above). From 1870 through 2017 cumulative human emissions have been about 575 Gt C (Collins et al. 2013; Le Quéré C et al.2017). The remaining budget then becomes 215 Gt C.

45. The current rate of human emissions of CO₂ is about 10 Gt C per year (Le Quéré et al. 2017), so at these present rates of emissions, the carbon budget would be consumed in little more than two decades (at about 2040).

46. I summarise this analysis in tabular form below:

Table 1: Carbon budget for a 66% probability of restricting temperature rise to no more than 2 °C

Budget Item/Process	Gt C
Base budget based on IPCC (2013)	1,000
Accounting for non-CO ₂ greenhouse gases	-210
Historical emissions through 2017	-575
Remaining budget to net zero emissions	215

47. The conclusion is that the world has 21-22 years of emissions (at current rates) remaining before the world's economy must reach net zero emissions (215 Gt C divided by 10 Gt C per year = 21.5 years).

48. Applying this budget to emission reduction trajectories emphasises the need to peak emissions by 2020 at the latest, followed by a steep reduction curve thereafter (the area under the curves created by emission reduction trajectories is equal to the cumulative emissions of CO₂, which can then be directly compared to a remaining carbon budget – see Figure 3 below).

49. The recent IPCC Special Report on the 1.5°C Paris target (IPCC 2018) has estimated carbon budgets required to meet that more stringent target. The remaining budget for a 66% probability of meeting the 1.5°C target is 155 Gt C, or about 15 years of emissions at current rates. Reducing the budget to allow for carbon feedbacks eliminates the budget altogether (Steffen et al. 2018).

Implication of carbon budget approach for the rate of emission reductions

50. The carbon budget approach has strong implications for the trajectory of emission reductions towards their eventual phasing out. Figure 3 shows the importance for the rate of emissions reductions of the peaking year (the year in which global emissions peak before starting their downward trajectory). The area under all of the curves on the graph are the same; they are equivalent to the cumulative carbon budget estimated by Figueres

et al. 2017 (cf. Figure 3), either 600 Gt CO₂ or 800 Gt CO₂⁴. To allow comparison to the carbon budget above, expressed as Gt C, these CO₂ budgets become 144 and 198 Gt C, the more generous budget comparing well with the budget estimated above (215 Gt C, Table 1), and the smaller budget comparable to the 1.5°C carbon budget.

51. Figure 3 demonstrates the absolute importance of peaking global emissions as soon as possible, and then reducing emissions strongly thereafter. Although global CO₂ emissions flat-lined for the 2014-2016 period, they rose again in 2017 and are predicted to rise yet again in 2018 (Le Quere et al. 2017). This implies that 2020 is probably the earliest that emissions can peak, and it is important that they do. Delaying the peak just five further years would create a subsequent emission reduction trajectory that would be impossible to follow economically or technologically (Figueres et al. 2017).
52. The clear message from any carbon budget analysis, under any reasonable set of assumptions regarding probabilities of actually meeting the budget and the sensitivity of the climate system to the level of greenhouse gases in the atmosphere, is that fossil fuel combustion must be phased out quickly, at the rate of the curves shown in Figure 3.
53. Most of the world's existing fossil fuel reserves⁵ – coal, oil and gas – must be left in the ground, unburned, if the Paris accord climate targets are to be met. I say that because the exploitation, and burning, of fossil fuel reserves leads to an **increase in** CO₂ emissions when meeting the Paris accord climate targets requires a rapid and deep **decrease** in CO₂ emissions.
54. An obvious conclusion that follows from this fact is that: No **new** fossil fuel development is consistent with meeting the Paris accord climate targets. That is, paragraphs 48-51 above demonstrate clearly that to meet the Paris accord, emissions must be reduced rapidly and deeply (cf Figure 3 below), and to do this requires the rapid phase-out of **existing** fossil fuel mines/wells. It is an obvious conclusion that no new fossil fuel developments can therefore be allowed.

⁴ The 600 Gt CO₂ budget is the midpoint of a wider range of budgets that represents different ways of calculating the budget for the Paris target range (1.5-2.0°C). The 800 Gt CO₂ budget reduces the probability of meeting the 600 Gt CO₂ budget (Figueres et al. 2017).

⁵ “Reserves” are defined by McGlade & Ekins (see below) as a subset of “resources” that are recoverable under current economic conditions and have specific probability of being produced. “Resources” are the remaining ultimately recoverable deposits of fossil fuels that are recoverable over all time with both current and future technologies, irrespective of economic conditions. Thus, “resources are all of the fossil fuels that are known to exist, and “reserves” are the subset of resources that are economically and technologically viable to exploit now.




Figure 3. Emission reduction trajectories for meeting the Paris accord target(s). Delaying peak emissions to 2025 is too late for any achievable emission reduction trajectory. Note that the budgets in Gt CO₂; converting them to Gt C would give budgets of 164 Gt C and 218 Gt C, respectively. Budgets are from 2016; converting them to budgets from the end of 2017 would yield 144 Gt C and 198 Gt C, respectively. Source: Figueres et al. 2017

Applying the carbon budget approach to Australia and the Bylong Coal Project

55. An economic analysis of a generous global carbon budget highlights the implications of meeting the Paris accord climate targets for the Australian fossil fuel sector (McGlade and Ekins 2015). Based on a 50% probability of meeting the 2°C temperature target, the global budget for the 2011-2050 period was estimated by the authors at 300 Gt C, somewhat higher than the budget in Table 1. The study showed that if all of the world’s existing fossil fuel reserves were burned, about 780 Gt C would be emitted as CO₂, about 2.5 times greater than the allowable budget. Globally, 62% of the world’s existing fossil fuel reserves need to be left in the ground, unburned, to remain within the carbon budget.

56. Meeting the carbon budget consistent with the Paris accord climate targets therefore means that not only must currently operating mines and gas wells be closed before their economic lifetime is completed (obvious from point 53 above – 780 is much larger than

the assumed budget of 300), but also that no approved (but not yet operating) and no proposed fossil fuel projects, based on existing reserves, can be implemented. This analysis applies to the Bylong Coal Project.

57. McGlade and Ekins (2015) then applied an economic analysis to the three types of fossil fuels – coal, oil and gas – and to the various regions of the world that are major producers of fossil fuels. Based on their analysis, 88% of global coal reserves are unburnable for any purpose (it is the CO₂ emissions that matter for the carbon budget approach, not the purpose for which the fossil fuel is burnt). The regional analysis yielded even more stringent conditions for Australia’s fossil fuel industry (Australia is the only major fossil fuel producer in the OECD Pacific region; other countries in the region are only minor producers of fossil fuels). Over 90% of Australia’s existing coal reserves cannot be burned to be consistent with the Paris accord 2°C target, and certainly not with the more stringent Paris accord 1.5°C target.


58. The conclusions from this – or any other analysis based on a carbon budget – are:

- **Australia’s existing fossil fuel industries must be phased out as quickly as possible, with most of the Australian fossil fuel reserves (and nearly all of Australia’s coal reserves) left in the ground.**
- **Development of new fossil fuel reserves, no matter how small, is incompatible with any carbon budget assuming a 50% or better chance of the budget meeting the temperature target (see paragraph 41a): that is, a very generous budget) and with Australia’s commitments to the Paris accord.**
- **Based on this analysis, approval of the development of the Bylong Coal Mine is inconsistent with the carbon budget approach to climate stabilisation.**

The fallacy of the “my emissions are too small to matter” or “some other coal resource will be developed if this one isn’t” arguments

59. A common argument made for proceeding with new fossil fuel developments is that the resulting emissions are so small compared to the total global emissions (currently about 9 billion tonnes of carbon per annum) that they do not matter. The argument is made at the national level in terms of Australia's national emissions being such a small fraction (ca. 1.2%) of the global total that they don't matter (i.e., "even if we reduce our emissions, it won't have a major effect on the climate").
60. A second common argument is that if a proposed new coal development is not allowed to proceed, another new coal resource, either in Australia or overseas, will be developed to take its place. A supporting argument is that the development of new coal resources is required to meet society's basic energy needs (i.e., electricity).
61. These arguments are, in my opinion, fundamentally flawed. The first argument (paragraph 57) is flawed because it ignores the fact that global greenhouse gas emissions are made up of millions, and probably hundreds of millions, of individual emissions around the globe. All emissions are important because cumulatively they constitute the global total of greenhouse gas emissions, which are destabilising the global climate system at a rapid rate. Just as many emitters are contributing to the problem, so many emission reduction activities are required to solve the problem.
62. A useful analogy for this first argument is the total tax revenue that a government agency collects each year to support the activities of the government. While there are certainly some large taxpayers (just as there are some large carbon emitters), there are also millions of Australians who pay a small amount of tax each year, compared to the total revenue. Each of these taxpayers could make the argument to the government agency that their amount of tax compared to the total revenue collected is so small that it does not matter. The government agency would very likely not accept that argument, and nor should decision makers, in my view, accept the argument that some activity's greenhouse gas emissions are so small that they do not matter.
63. The second argument (paragraph 58) is flawed because it assumes that there is now, and will continue to be, a demand for new coal resources beyond those that already exist. Observations of global coal production show that this assumption is not valid. Global coal production peaked in 2013/2014 and has been in a steady decline since then (Our World in Data 2018). In fact, coal production is dropping in all regions of the world – North America, Europe & Eurasia, Africa, South & Central America, the Middle East and Asia-Pacific (which includes Australia). The trend towards decreasing coal production is very likely to continue, or even accelerate, as the world experiences more severe impacts of

climate change over the coming decades and the economic and social advantages of renewable energy technologies become even more apparent than they are today.

A handwritten signature in black ink, appearing to read "Will Steffen". The signature is written in a cursive style with a horizontal line at the end.

Professor Will Steffen

14 November 2018

References:

Australian Government Department of the Environment and Energy (2018) Quarterly Update of Australia's National Greenhouse Gas Inventory: December 2017 (incorporating NEM electricity emissions up to March 2018), 39pp.

CCA (Climate Change Authority) (2015) Final Report on Australia's Future Emissions Reduction Targets, 2 July 2015. Accessed at: <http://climatechangeauthority.gov.au/sites/prod.climatechangeauthority.gov.au/files/Final-report- Australias-future-emissions-reduction-targets.pdf>.

Church JA, Hunter JR, McInnes KL and White NJ (2006) Sea-level rise around the Australian coastline and the changing frequency of extreme sea-level events. *Australian Meteorological Magazine* 55: 253-260.

Ciais P et al. (2013) Carbon and Other Biogeochemical Cycles, in *Climate Change 2013: The Physical Science Basis, Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*, edited by Stocker TF, Qin D, Plattner G-K, Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V and Midgley PM, Cambridge and New York, Cambridge University Press, pp. 465–570, doi:10.1017/CBO9781107415324.015.

Clarke H, Lucas C and Smith P (2013) Changes in Australian fire weather between 1973 and 2010. *International Journal of Climatology* 33: 931-944.

Climate Action Tracker (2018) Paris tango. Climate action so far in 2018: <https://climateactiontracker.org/countries/australia/>. Accessed 23 May 2018.

Collins, M. *et al.* (2013) Long-term climate change: Projections, commitments and irreversibility, in *Climate Change 2013: The Physical Science Basis, Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*, edited by Stocker, T.F., Qin, D., Plattner, G.-K., Tignor, M. Allen, S.K., Boschung, J. Nauels, A., Xia, Y., Bex, V. and Midgley, P.M., Cambridge and New York, Cambridge University Press, pp. 1029-1136.

CSIRO and BoM (2015) Climate Change in Australia –Technical Report, CSIRO and Bureau of Meteorology, Melbourne, 216pp.

CSIRO (Commonwealth Scientific and Industrial Research Organisation) and BoM (2016) State of the Climate 2016. CSIRO and BoM, Melbourne, 22p.

Duke NC et al. (2016) Large-scale dieback of mangroves in Australia’s Gulf of Carpentaria: a severe ecosystem response, coincidental with an unusually extreme weather event. *Marine and Freshwater Research* 68(10), 1816-1829. doi.org/10.1071/MF16322

Figueres, C. et al (2017), Three years to safeguard our climate,” *Nature*, 546: 593.

Hughes TP et al. (2017) Global warming and recurrent mass bleaching of corals. *Nature*, 543: 373-377.

IPCC (2013) Summary for Policymakers. In: *Climate Change 2013: The Physical Science Basis*, Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change, edited by Stocker TF, et al. Cambridge and New York, Cambridge University Press, pp 3-29.

IPCC (2014) Assessment Box SPM.1, Figure 1 from IPCC (2014): Climate Change 2014: Impacts, Adaptation, and Vulnerability – Summary for Policymakers. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Field CB, Barros VR, Dokken DJ, Mach KJ, Mastrandrea MD, Bilir TE, Chatterjee M, Ebi KL, Estrada YO, Genova RC, Girma B, Kissel ES, Levy AN, MacCracken S, Mastrandrea PR, and White LL (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA.

IPCC (2018) Global Warming of 1.5°C. IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change,

sustainable development, and efforts to eradicate poverty. Intergovernmental Panel on Climate Change.

Kintisch, E (2017) The great Greenland meltdown. *Science*, doi:10.1126/science.aal0810

Le Quéré C et al. (2017) Global Carbon Budget 2017. *Earth System Science Data Discussions* <https://doi.org/10.5194/essdd-2017-123>

Lüthi D, et al. (2008) High-resolution carbon dioxide concentration record 650,000–800,000 years before present. *Nature* 453: 379-382.

Marcott SA, Shakun JD, Clark PU, Mix A (2013) A reconstruction of regional and global temperature for the past 11,300 years. *Science* 339:1198-1201.

McGlade C and Ekins P (2015) The geographical distribution of fossil fuels unused when limiting global warming to 2°C. *Nature* 517: 187-190.

NOAA (2016) State of the Climate: Global Analysis for Annual 2015. National Centers for Environmental Information, available at <http://www.ncdc.noaa.gov/sotc/global/201513>

NOAA (2018a) Global Analysis - Global Climate Report - Annual 2017. Accessed at: <https://www.ncdc.noaa.gov/sotc/global/201713>.

Our World in Data (2018) <https://ourworldindata.org/fossil-fuels>

Perkins S and Alexander L (2013) On the measurement of heat waves. *Journal of Climate* 26: 4500-4517.

Schellnhuber HJ, Rahmstorf S, Winkelmann R (2016) Why the right climate target was agreed in Paris. *Nature Climate Change*, 6:649-653.

Steffen W et al. (2018) Trajectories of the Earth System in the Anthropocene. *Proc. Natl. Acad. Sci. (USA)* doi/10.1073/pnas.1810141115

The White House (2015) National Security Strategy. February 2015, Washington DC, US.

Accessed at

https://www.whitehouse.gov/sites/default/files/docs/2015_national_security_strategy.pdf.

Trenberth KE (2012) Framing the way to relate climate extremes to climate change. *Climatic Change*, 115: 283–290.

UK MoD (UK Ministry of Defence) (2010) Defence in a Changing Climate ed. UK Ministry of Defence. London: UK Ministry of Defence.

United Nations Framework Convention on Climate Change (UNFCCC) (2015) Australia's Intended Nationally Determined Contribution to a new Climate Change Agreement. August 2015. Accessed at <http://www4.unfccc.int/submissions/INDC/Published/Documents/Australia/1/Australias/Intended/Nationally/Determined/Contribution/to/a/new/Climate/Change/Agreement/20August/2015.pdf>

30 October 2018

Emeritus Professor William Steffen
Fenner School of Environment & Society
The Australian National University
Unit 409, 222 City Walk
Canberra City ACT 2601

By email: will.steffen@anu.edu.au

Dear Prof Steffen

Bylong Coal Project

We act for Bylong Valley Protection Alliance (**BVPA**) in relation to the proposed open cut and underground coal mine by KEPCO's Bylong Coal Mine for the Bylong Coal Project (**Project**). Our client is concerned about any environmental impacts arising from the proposed Project.

The Project has previously been on public exhibition through an Environmental Impact Statement (**EIS**) and Planning Assessment Commission (**PAC**) Review process. As a consequence of the assessment undertaken to date, KEPCO has modified the proposed Project to reduce the size of the open cut pit (**Revised Project**). The Revised Project has now been referred to the Independent Planning Commission (**IPC**) for determination.

Our client wishes to engage you to provide expert advice to the IPC Determination meeting in relation to any climate change impacts arising from the Revised Project.

Purpose of your expert report

We note as a preliminary matter that our primary purpose in briefing you to prepare your report is to assist the decision maker for the Project. We do not ask you to be an advocate for our client. You are requested to prepare an independent report that is clear and well-written.

In this respect, we draw your attention to Division 2 of Part 31 of the *Uniform Civil Procedure Rules 2005* (**UCPR**), and the Expert Witness Code of Conduct (**Code of Conduct**) contained in Schedule 7 of the UCPR, both of which govern the use of expert evidence in the Court. We enclose copies of the Code of Conduct and relevant UCPR provisions.

In particular, we note that clause 2 of the Code of Conduct states that:

“An expert witness is not an advocate for a party and has a paramount duty, overriding any duty to the party to the proceedings or other person retaining

the expert witness, to assist the court impartially on matters relevant to the area of expertise of the witness.”

Your expert report must contain an acknowledgment that you have read the Expert Witness Code of Conduct in Schedule 7 of the UCPR and that you agree to be bound by it.

Your expert report will be used as evidence in chief of your professional opinion. Information which you believe the decision maker should be aware of must be contained in your expert report.

In providing your opinion to the decision maker you must set out all the assumptions upon which the opinion is based. This may include, for example, facts observed as a result of fieldwork or ‘assumed’ facts based on a body of scientific opinion. If the latter, you should provide references which demonstrate the existence of that body of opinion.

Your expert report must also set out the process of reasoning which you have undertaken in order to arrive at your conclusions. It is insufficient for an expert report to simply state your opinion or conclusion reached without an explanation as to how this was arrived at. The purpose of providing such assumptions and reasoning is to enable the decision maker and experts engaged by other parties to make an assessment as to the soundness of your opinion.

Overview of work requested

We request that you undertake the following work:

- (1) review the documents listed below.
- (2) prepare a written expert report that addresses the issues identified below (‘Issues to address in your expert report’), and ensure that the work is prepared in accordance with Division 2 of Part 31 and Schedule 7 of the UCPR.
- (3) appear as an expert witness at the IPC public hearing for the purpose of giving oral evidence or via phone or Skype, if possible.

Documents

All documents for the Project are located here:

http://majorprojects.planning.nsw.gov.au/index.pl?action=view_job&job_id=6367.

Hyperlinks to the key documents relating to the Project are provided to assist you in preparing your expert report.

Environmental Impact Statement

- [Bylong Coal Project EIS - Executive Summary](#)
- [Bylong Coal Project EIS - Main Text](#) (Greenhouse Gas Emissions pp 238-239 of 415)

- [Appendix O Air Quality and Greenhouse Gas](#) (Greenhouse Gas Assessment pp 109-114; GHG Emissions Estimation pp 147-154 of 154)

Response to Submissions

- [Bylong Coal RTS - Main Report](#) (Climate Change and Greenhouse Gas Emissions 382-386 of 551)

Recommendation to PAC Review

- [Preliminary Assessment Report](#) (Greenhouse Gas Emissions pp 42-43 of 146)

PAC Review

- [Bylong Final Assessment Report](#) (Executive summary pp 3-4 of 53)

KEPCO Response to PAC Review

- [Main Report](#) (Executive summary pp 2-5 of 106)

DPE Recommendation to IPC

- [Bylong Final Assessment Report](#) (Executive summary pp 3-16 of 122)
- [Recommended Conditions to IPC](#)

Please let us know as soon as possible if you require further information for the purpose of giving your expert opinion.

Issues to address in your expert report

We ask that your report address the following issues:

- (1) Provide a brief description of the causes and effects of anthropogenic climate change and current anthropogenic climate change projections.
- (2) Describe the concept of the Carbon Budget.
- (3) In your opinion, what actions must be taken to meet the Carbon Budget? In providing your answer, please consider how the Carbon Budget applies to the Revised Project.
- (4) Provide any further observations or opinions which you consider to be relevant.

Key dates

The IPC meeting will be held in Mudgee on 7 November 2018. We understand that you are not available to attend the IPC meeting in person. We appreciate your offer to present by phone or Skype, if possible. We will confirm this with you as soon as possible.

Written submissions to the IPC are due on Wednesday **14 November 2018**. We would appreciate receiving a draft of your expert advice by no later than 7 November 2018 to assist our client to prepare their own submission to the IPC.

Duty of confidentiality

Please treat your work as strictly confidential until your expert report is provided to the IPC, unless authorised by us.


Fees

Thank you for agreeing to provide expert advice in this matter on a pro bono basis. As a not-for-profit community organisation, our client greatly appreciates you providing advice on a pro bono basis.

We are grateful for your assistance in this matter.

If there are any matters that you would like to discuss please do not hesitate to contact me on ph: 02 9262 6989 or by e-mail nadja.zimmermann@edonsw.org.au.

Yours sincerely,
EDO NSW



Nadja Zimmermann
Solicitor

Our Ref: 1522462

**CURRICULUM VITAE
WILL STEFFEN**

PERSONAL DATA

FULL NAME: William Lee (Will) STEFFEN

BUSINESS ADDRESS: Emeritus Professor
The Fenner School of Environment and Society
The Australian National University
Canberra ACT 2601
AUSTRALIA

TELEPHONE

[REDACTED]

EMAIL:

[REDACTED]

DATE OF BIRTH:

[REDACTED]
[REDACTED]
[REDACTED]

[REDACTED]
[REDACTED]
[REDACTED]

EDUCATION AND DEGREES:

PhD (Honoris causa) University of Canberra, Australia (April 2015)
PhD (Honoris causa): Stockholm University, Sweden (September 2010)
PhD (Chemistry): University of Florida, USA (August 1975)
MS (Chemistry): University of Florida, USA (August 1972)
BS (Chemical Engineering): University of Missouri, USA (May 1970)

ACADEMIC AFFILIATIONS

Senior Fellow, Stockholm Resilience Centre, Stockholm University, Sweden
Emeritus Professor, The Australian National University, Canberra
Adjunct Professor, The University of Canberra, Australia
Fellow, Beijer Institute of Ecological Economics, Stockholm
Senior Associate, University of Cambridge Institute for Sustainability Leadership, UK
Honorary Professor, Copenhagen University, Denmark

POSITIONS HELD

Sept 2013-present Climate Councillor (with the independent, publicly funded
Climate Council of Australia)
Nov 2011-present Member, ACT Climate Change Council

Feb 2011-Sept 2013	Climate Commissioner (with Australian Government Climate Commission)
Jul 2008-June 2012	Executive Director, ANU Climate Change Institute, The Australian National University (ANU), Canberra
Aug 2004-Jan 2011	Science Adviser (part-time), Department of Climate Change and Energy Efficiency (earlier Australian Greenhouse Office), Australian Government, Canberra
Mar 2007-Jul 2008	Director, Fenner School of Environment and Society, and Director, ANU Institute of Environment, The Australian National University (ANU), Canberra
Oct 2006-Feb 2007	Pro Vice-Chancellor (Research), The Australian National University, Canberra
Oct 2005-Oct 2006	Director, Centre for Resource and Environmental Studies, and Director, ANU Institute of Environment, The Australian National University (ANU), Canberra
Jul 2004 –Jun 2006	Chief Scientist, International Geosphere-Biosphere Programme (IGBP), Stockholm
Aug 2004-Sept 2005	Visiting Fellow, Bureau of Rural Sciences, Department of Agriculture, Fisheries and Forestry, Australian Government, Canberra
Mar 1998 - Jun 2004	Executive Director, International Geosphere-Biosphere Programme (IGBP), Stockholm, Sweden
Dec 1990 - Feb 1998:	Executive Officer, Global Change and Terrestrial Ecosystems (GCTE) Core Project, International Geosphere-Biosphere Programme (IGBP), based at CSIRO, Canberra
April 1981 - Nov 1990:	Editor and Information Officer, CSIRO Centre for Environmental Mechanics, Canberra
Aug 1977 - July 1980:	Research Fellow, Research School of Chemistry, The Australian National University, Canberra
Sept 1975 - June 1977:	Postdoctoral Fellow, Department of Chemistry, Cornell University, New York, USA

PROFESSIONAL EXPERIENCE

Research Interests and Experience: -

- Earth System science, with a focus on integration and synthesis towards understanding planetary dynamics involving coupling of biogeochemical cycles

and physical climate; dynamics of abrupt and irreversible changes; integration of natural and human dimensions of Earth System and climate science, particularly around the concept of the Anthropocene; global carbon cycle.

- Sustainability science, with an emphasis on ecosystem services as a unifying concept; global aspects of sustainability; integration of humanities scholarship into sustainability research; participatory research approaches.
- Global change and terrestrial ecosystems, with a focus on regional and global scales; terrestrial carbon cycle; incorporation of ecosystem dynamics in global vegetation models; functional type approach to modelling vegetation dynamics under global change; transect-based analysis of regional vegetation change.
- Structural inorganic chemistry, using x-ray crystallography as the primary tool to study transition metal chemistry; systems studied included tetrahedral zinc(II) complexes, isomerism in the palladium(II) thiocyanate system, stereochemistry of monothiocarbamate-metal complexes, the iron(II) porphyrin system and olefinic diphosphine complexes of tungsten and manganese tricarbonyls.

Science Leadership and Management:

- Creation of the ANU Climate Change Institute (Australian National University) in 2008, and its first Executive Director. Development of transdisciplinary climate change research projects involving natural science, social science, economics and humanities scholars at the ANU.
- Creation of the Fenner School of Environment and Society at the ANU in 2007, and its inaugural Director. Development of the School (60 academic staff and 120 PhD students) as Australia's leading transdisciplinary research and teaching unit on environment and society.
- Leadership as Executive Director of the International-Geosphere Biosphere Programme (IGBP), a multi-disciplinary international research programme on global change involving about 10,000 scientists in 80 countries around the world. Duties included: coordination of research effort involving 10 projects, support to the IGBP Chairman and to the Scientific Committee of the IGBP, management of the IGBP Secretariat (Stockholm) with a staff of 10 and an annual budget of USD 2.5M, publication of overview and synthesis papers on global change and Earth System science, promotion of global change science at international meetings and conferences around the world; numerous presentations at a wide range of fora in ca. 35 countries, liaison with policy communities on the application of IGBP science, and raising funds for IGBP activities.
- Management of the day-to-day operation of the Global Change and Terrestrial Ecosystems (GCTE) Core Project, an international research effort under the auspices of the IGBP, from 1990 to 1998. Duties included overall coordination of GCTE's international Core Research Programme (41 countries, 700 scientists and technicians, USD 33M per annum; establishment and overall direction of GCTE Impacts Centre, Bogor, Indonesia; and raising funds for GCTE activities.

- Leadership role in planning and carrying out a large number of international conferences and policy events, including three in the prestigious Dahlem Conference Series in Germany, Royal Colloquia in Sweden, two IGBP Congresses and the Challenges of a Changing Earth global change conference in Amsterdam in 2001.

Science-Policy Interface:

- Independent expert adviser to the Multi-Party Climate Change Committee. Australian Government. The role of the MPCCC, chaired by the Prime Minister Hon Julia Gillard, was to develop a long-term policy to reduce Australia's greenhouse gas emissions. The MPCCC built the Clean Energy Futures package, the centrepiece of which is an emissions trading scheme but with complementary programs for land carbon sequestration and biodiversity conservation.
- Advice to the Department of Climate Change and Energy Efficiency (previously Australian Greenhouse Office), Australian Government, on the link between science and climate change policy, with an emphasis on the scientific research needed to support policy development. Specific projects include carbon cycle research in support of carbon accounting and reporting; generic climate adaptation strategies across a broad range of sectors; definition of "dangerous climate change" with respect to Article 2 of the UN Framework Convention on Climate Change; and a review of the Australian Climate Change Science Program, towards developing a national framework for climate change research.
- General briefings and inputs at the international level to the development of policy on climate change and other aspects of global environmental change. The work included interaction with the European Union Commission for the Environment; advice to the Swedish Government Departments of Environment and Education and the Stockholm City Government, primarily on application of carbon cycle research; and contributions to the work of the Intergovernmental Panel for Climate Change (IPCC), primarily on implications of carbon cycle dynamics for carbon sinks policy.
- Contributions to development of climate risk management strategy for Australian agricultural sector, Bureau of Rural Sciences (BRS), Australian Government. The project involved consultation with industry/producers through workshop series, and production of decision support tools for climate risk management.

Teaching:

- Contribution to course development at the ANU, focusing on climate change courses at the post-graduate level and professional courses for public servants.
- Lectures on global change and the Earth System at the ANU and at Stockholm University, Sweden.
- Lectures, tutorials, and demonstrations in chemistry at the tertiary level at the ANU and the University of Florida, USA.

Communication and Outreach:

- Member of the independent Climate Commission, formed by the Australian Government in February 2011. Role of the Commission is to engage the Australian public, private sector and community groups on climate science, the economics of climate change mitigation, and international action on climate change. Activities in public forums around the country, business roundtables, site visits, community group engagement, production of reports and communication via the media. With the closure of the Commission in September 2014, became a Councillor with the publicly funded Climate Council of Australia, formed to replace the Commission.
- Numerous presentations on climate change, the Earth System and the Anthropocene to a very wide range of audiences, including governments at high levels, business and industry, non-governmental organisations (NGOs), professional organisations and the general public.
- Participation in a large number of conferences, summits, future think tanks and other events involving participants from all walks of life. Participation in the 2020 Summit in Canberra in April 2008.
- Much experience with the media, both print and electronic, on complex and contentious issues like climate change and sustainability.
- Provision of background support to and appearances in the Swedish documentary film “The Planet”, and contributions to several films on the Anthropocene.
- Operation of the editorial, communication, and information services at the CSIRO Centre for Environmental Mechanics 1981-1990.

ADVISORY/HONORARY POSITIONS AND REVIEW PANELS

Apr 2016 – present	Member, International Advisory Board, Centre for Collective Action Research, Gothenburg University, Sweden
Jan 2011 – present	Member, Volvo Environment Prize jury, Sweden (Chair of Jury from May 2013)
Jul 2004 – Dec 2015	Member, National Committee for Earth System Science (NCESS), Australian Academy of Science
Oct 2010 – July 2011	Member, Multi-Party Climate Change Committee, Australian Government
Oct 2009- Dec 2014	Chair, Antarctic Science Advisory Committee, Australian Government
Aug 2009 – May 2011	Member, Science Advisory Committee, APEC Climate Center, Busan, Korea
Jan 2005 – May 2010	Chair, International Advisory Board, QUEST (Quantifying and Understanding the Earth System) programme, UK
Oct 2005 – Nov 2008	Chair, Advisory Panel, Earth and Sun System Laboratory, National Center for Atmospheric Research, Boulder, CO, USA
Jan 2006-Dec 2008	Member, Advisory Board, Australian Bureau of Meteorology
May 2007	Review of the Australian Climate Change Science Program. Australian Government. Carried out with Dr Susan Solomon, NOAA, USA and Convening Lead Author, Working Group 1, IPCC Fourth Assessment Report
Apr 2007	Member of review panel, Potsdam Institute for Climate Impact Research, Germany
Aug 2006 – Dec 2006	Member, PMSEIC (Prime Minister's Science, Engineering and Innovation Council) working group on Australia's S&T Priorities for Global Engagement
Feb 2005	Member of review panel for du Laboratoire des Sciences du Climat et de l'Environnement (LSCE), Paris, France
Apr 2004	Member of review panel for the Tyndall Centre, UK (Climate Adaptation Research)

PUBLICATIONS LIST

WILL STEFFEN

2018

Lade, Steven J., Norberg, J., Anderies, J.M., Cornell, S.J., Donges, Jonathan F., Fetzer, I., Gasser, T., Richardson, K., Rockström, J and **Steffen, W.** (2018) Analytically tractable climate-carbon cycle feedbacks under 21st century anthropogenic forcing. *Earth System Dynamics* **9**: 507-523. <https://doi.org/10.5194/esd-9-507-2018>

Waters, C.N., Zalasiewicz, J., Summerhayes, C., Fairchild, I.J., Rose, N.L., Loader, N.J., Shotyk, W., Cearreta, A., Head, M.J., Syvitski, J.P.M., Williams, M., Waple, M., Barnosky, A.D., An, Z., Leinfelder, R., Jeandel, C., Galuszka, A., Ivar do Sul, J.A., Gradstein, F., **Steffen, W.**, McNeill, J.R., Wing, S., Poirier, C., Edgeworth, M. (2018). A Global Boundary Stratotype Sections and Points (GSSPs) for the Anthropocene Series: Where and how to look for a potential candidate. *Earth-Science Reviews* **178**: 379-429.

2017

Zalasiewicz, J., Waters, C.N., Summerhayes, C., Wolfe, A.P., Barnosky, A.D., Cearreta, Crutzen, P., Ellis, E., Fairchild, I., Galuszka, A., Haff, P., Hajdas, I., Head, M.J., Ivar do Sul, J.A., Jeandel, C., Leinfelder, R., McNeill, J.R., Neal, C., Odada, E., Oreskes, N., **Steffen, W.**, Syvitski, J., Vidas, D., Waple, M. and Williams, M. (2017) The Working Group on the Anthropocene: Summary of evidence and interim recommendations. *Anthropocene* **19**: 55-60.

Webb, R., Bai, X., Stafford Smith, M., Costanza, R., Griggs, D., Moglia, M., Neuman, M., Newman, P., Newton, P., Norman, B., Ryan, C., Schandl, H., **Steffen, W.**, Tapper, N. and Thomson, G. (2017) Sustainable urban systems: Co-design and framing for transformation. *Ambio*. DOI 10.1007/s13280-017-0934-6

Williams, M., Edgeworth, M., Zalasiewicz, J., Waters, C.N., **Steffen, W.**, Wolfe, A.P., Cearreta, A., Galuszka, A., Haff, P., McNeill, J., Revkin, A., Richter, D. deB., Price, S. and Summerhayes, C. (2017) Underground metro systems: a durable ‘mega-trace fossil’ proxy for urbanisation by humans in the 20th and 21st centuries. In: ‘Big History’, Routledge, in press.

Donges, J.F., Lucht, W., Müller-Hansen, F. and **Steffen, W.** (2017) The technosphere in Earth system analysis: a coevolutionary perspective. *The Anthropocene Review* **4**(1): 23-33. doi: 10.1177/2053019616676608.

Zalasiewicz, J., Williams, M., Waters, C.N., Barnosky, A.D., Palmesino, J., Rönnskog, A.-S., Edgeworth, M., Neal, C., Cearreta, A., Ellis, E.C., Grinevald, J., Haff, P., Ivar do Sul,

J.A., Jeandel, C., Leinfelder, R., McNeill, J.R., Odada, E., Oreskes, N., Price, S.J., Revkin, A., **Steffen, W.**, Summerhayes, C., Vidas, D., Wing, S. and Wolfe, A.P. (2016) Scale and diversity of the physical technosphere: a geological perspective. *The Anthropocene Review* 4(1): 9-22. doi: 10.1177/2053019616677743

Zalasiewicz, J., Waters, C.N., Wolfe, A.P., Barnosky, A.D., Cearretta, A., Edgeworth, M., Ellis, E.C., Fairchild, I., Gradstein, F.M. Grinevald, J., Haff, P., Head, M.J., Ivar do Sul, J.A., Jeandel, C., Leinfelder, R., McNeill, J.R., Oreskes, N., Poirier, C., Revkin, A., Richter, D. deB., **Steffen, W.**, Summerhayes, C., Syvitski, J.P.M., Vidas, D., Wagreich, M., Wing, S. and Williams, M. (2017) Making the case for a formal Anthropocene Epoch: an analysis of ongoing critiques. *Newsletters on Stratigraphy* 59(2): 205-226.

Ludwig, C. and **Steffen, W.** (2017) The 1950s as the beginning of the Anthropocene. *Encyclopedia of the Anthropocene*, in press.

Gaffney, O. and **Steffen, W.** (2017) The Anthropocene equation. *The Anthropocene Review* 4(1): 53-61. doi: 10.1177/2053019616688022

Zalasiewicz, J., **Steffen, W.**, Leinfelder, R., Williams, M. and Waters, C. (2017) Petrifying Earth processes: The stratigraphic imprint of key Earth System parameters in the Anthropocene. *Theory, Culture and Society* 34: 83-104. doi: 10.1177/0263276417690587.

2016

Zalasiewicz, J., Waters, C.N., Wolfe, A.P., Barnosky, A.D., Cearretta, A., Edgeworth, M., Ellis, E.C., Fairchild, I., Gradstein, F.M. Grinevald, J., Haff, P., Head, M.J., Jeandel, C., Leinfelder, R., McNeill, J.R., Oreskes, N., Poirier, C., Revkin, A., Richter, D. deB., **Steffen, W.**, Summerhayes, C., Syvitski, J.P.M., Vidas, D., Wagreich, M., Wing, S. and Williams, M. (2016) Comment: Finney & Edwards Article. *GSA Today* 27: doi:10.1130/GSATG309C.1

Steffen, W., Leinfelder, R., Zalasiewicz, J., Waters, C.N., Williams, M., Summerhayes, C., Barnosky, A.D., Cearreta, A., Crutzen, P., Edgeworth, M., Ellis, E.C., Fairchild, I.J., Galuszka, A., Grinevald, J., Haywood, A., Ivar do Sul, J., Jeandel, C., McNeill, J.R., Odada, E., Oreskes, N., Revkin, A., Richter, D. deB., Syvitski, J., Vidas, D., Wagreich, M., Wing S.L., Wolfe, A.P., Schellnhuber, H.J. (2016) Stratigraphic and Earth System approaches to defining the Anthropocene. *Earth's Future* 4: doi:10.1002/2016EF000379

Zalasiewicz, J., Waters, C.N. Ivar do Sul, J., Corcoran, P.L., Barnosky, A.D., Cearreta, A., Edgeworth, M. Galuszka, A. Jeandel, C., Leinfelder, R., McNeill, J.R., **Steffen, W.**, Summerhayes, C., Wagreich, M., Williams, M., Wolfe, A.P., Yonan, Y. (2016) The geological cycle of plastics and their use as a stratigraphic indicator of the Anthropocene. *Anthropocene* doi:10.1016/j.ancene.2016.01.002

Williams, M., Zalasiewicz, J., Waters, C.N., Edgeworth, M., Bennett, C., Barnosky, A.D., Ellis, E.C., Ellis, M.A., Cearreta, A., Haff, P.K., Ivar do Sul, J.A., Leinfelder, R., McNeill, J.R., Odada, E., Oreskes, N., Revkin, A., Richter, D.deB, **Steffen, W.**, Summerhayes, C., Syvitski, J.P., Vidas, D., Wagreich, M., Wing, S.L., Wolfe, A.P., An, Z. (2016) The

Anthropocene: a conspicuous stratigraphic signal of anthropogenic changes in production and consumption across the biosphere. *Earth's Future* **4**: doi:10.1002/2015EF000339

Waters, C.N., Zalasiewicz, J., Summerhayes, C., Barnosky, A.D., Poirier, C., Gałuszka, A., Cearreta, A., Edgeworth, M., Ellis, E.C., Ellis, M., Jeandel, C., Leinfelder, R., McNeill, J.R., Richter, D. deB, **Steffen, W.**, Syvitski, J., Vidas, D., Waple, M., Williams, M., An, Z., Grinevald, J., Odada, E., Oreskes, N. and Wolfe, A.P. (2016) The Anthropocene is functionally and stratigraphically distinct from the Holocene. *Science* **351**(6269): 137, doi:10.1126/science.aad2622

2015

Bai, X., van der Leeuw, S., O'Brien, K., Berkhout, F., Biermann, F., Brondizio, E.S., Cudennec, C., Dearing, J., Durraipappah, A., Glaser, M., Revkin, A., **Steffen, W.** and Syvitski, J. (2015). Plausible and desirable futures in the Anthropocene: A new research agenda. *Global Environmental Change*: doi.org/10.1016/j.gloenvcha.2015.09.017

Verburg, P.H., Dearing, J.A., Dyke, J.G., van der Leeuw, S., Seitzinger, S., **Steffen, W.** and Syvitski, J. (2015) Methods and approaches to modelling the Anthropocene. *Global Environmental Change* doi:10.1016/j.gloenvcha.2015.08.007

Zalasiewicz, J., Waters, C.N., Barnosky, A.D., Cearreta, A., Edgeworth, M., Ellis, E., Fairchild, I.J., Galuszka, A., Gibbard, P., Grinevald, J., Hajdas, I., Ivar do Sul, J., Jeandel, C., Leinfelder, R., McNeill, J.R., Poirier, C., Revkin, A., Richter, D., **Steffen, W.**, Summerhayes, C., Syvitski, J.P.M., Vidas, D., Waple, M., Williams, M. and, S.L., Wolfe, A.P. (2015) Colonization of the Americas, 'Little Ice Age' climate, and bomb-produced carbon: Their role in defining the Anthropocene. *The Anthropocene Review* **2**: 117-127.

Homer-Dixon, T., Walker, B., Biggs, R., Crépin, A.-S., Folke, C., Lambin, E.F., Peterson, G.D., Rockström, J., Scheffer, M., **Steffen, W.** and Troell, M. (2015) Synchronous failure: the emerging causal architecture of global crisis. *Ecology and Society* **20** (3): 6. [online] URL: <http://www.ecologyandsociety.org/vol20/iss3/art6/>

Steffen, W. (2015) Michael Raupach (1950-2015) *Nature Climate Change* **5**: 296.

Williams, A.N., Veth, P., **Steffen, W.**, Ulm, S., Turney, C.S.M. Reeves, J.M., Phipps, S.J. and Smith, M. (2015) A continental narrative: human settlement patterns and Australian climate change over the last 35,000 years. *Quaternary Science Reviews* **123**: 91-112,

Richardson, K., and **Steffen, W.** (2015) Network of cooperation between science organizations. In: Handbook of Science and Technology Convergence. Springer International Publishing Switzerland. DOI 10.1007/978-3-319-04033-2_80-1

van den Bergh, J., Folke, C., Polasky, S., Scheffer, M. and **Steffen, W.** (2015) What if solar energy becomes really cheap? A thought experiment on environmental problem shifting. *Current Opinion in Environmental Sustainability* **14**: 170-179.

Steffen, W., Richardson, K., Rockström, J., Cornell, S.E., Fetzer, I., Bennett, E.M., Biggs, R., Carpenter, S.R., de Vries, W., de Wit, C.A., Folke, C., Gerten, D., Heinke, J., Mace, G.M., Persson, L.M., Ramanathan, V., Reyers, B., and Sörlin, S. (2015) Planetary Boundaries: Guiding human development on a changing planet. *Science* **347**: DOI: 10.1126/science.1259855

Steffen, W., Broadgate, W., Deutsch, L., Gaffney, O. and Ludwig, C. (2015) The trajectory of the Anthropocene: The Great Acceleration. *The Anthropocene Review* DOI: 10.1177/2053019614564785

Zalasiewicz, J., Waters, C.N., Williams, M., Barnosky, A.D., Cearreta, A., Crutzen, P., Ellis, E., Ellis, M.A., Fairchild, I.J., Grinevald, J., Haff, P.K., Hajdas, I., Leinfelder, R., McNeill, J., Odada, E.O., Poirier, C., Richter, D., **Steffen, W.**, Summerhayes, C., Syvitski, J.P.M., Vidas, D., Wagnreich, M., Wing, S.L., Wolfe, A.P. and Zhisheng, A. (2015) When did the Anthropocene begin? A mid-twentieth century boundary level is stratigraphically optimal. *Quaternary International* **383**: 196-203. [doi:10.1016/j.quaint.2014.11.045](https://doi.org/10.1016/j.quaint.2014.11.045)

2014

Griggs, D., Stafford Smith, M., Rockström, J., Öhman, M.C., Gaffney, O., Glaser, G., Kanie, N., Noble, I., **Steffen, W.** and P. Shyamsundar, P. (2014) An integrated framework for sustainable development goals. *Ecology and Society* **19** (4): 49. [online] URL: <http://www.ecologyandsociety.org/vol19/iss4/art49/>

Steffen, W. (2014). Connecting the problem to the solution. *Solutions* **5**(4): 1.

Mace, G.M., Reyers, B., Alkemade, R., Biggs, R., Chapin III, F.S., Cornell, S.E., Diaz, S., Jennings, S., Leadley, P., Mumby, P.J., Purvis, A., Scholes, R.J., Seddon, A., Solan, M. **Steffen, W.** and Woodward, G. (2014) Approaches to defining a planetary boundary for biodiversity. *Global Environmental Change*. **28**: 289-297. DOI: 10.1016/j.gloenvcha.2014.07.009

Steffen, W. (2014) Coping with a chaotic climate in Australia. In: Rockström, J., Falkenmark, M., Folke, C., Lannerstad, M., Barron, J., Enfors, E., Gordon, L., Heinke, J., Hoff, H. and Pahl-Wostl, C.: *Water Resilience for Human Prosperity*. Cambridge University Press: Cambridge, UK, pp. 114-115.

Oldfield, F. and **Steffen, W.** (2014) Anthropogenic climate change and the nature of Earth System science. *The Anthropocene Review* **1**: 70-75.

Oldfield, F., Barnosky, A.D., Dearing, J., Fischer-Kowalski, M., McNeill, J., **Steffen, W.** and Zalasiewicz, J. (2014) The Anthropocene Review: Its significance, implications and the rationale for a new transdisciplinary journal. *The Anthropocene Review* **1**: 3-7.

2013

Steffen, W. and Griggs, D. (2013) Compounding crises: Climate change in a complex world. In: Christoff, P. (ed.) *Four Degrees of Warming: Australia in a Hot World*. Routledge/Earthscan: London, pp. 118-134.

Hughes, L. and **Steffen, W.** (2013) Climate change in Victoria: Trends, predictions and impacts. *Proceedings of the Royal Society of Victoria* **125**: 5-13.

Steffen, W., Rockström, J., Kubiszewski, I., and Costanza, R. (2013) Planetary Boundaries: Using early warning signals for sustainable global governance. In: P. Lawn (ed.) *Globalisation, Economic Transition and the Environment: Forging a Path to Sustainable Development*. Edward Elgar, Cheltenham. Pp. 259–275.

Anderies, J.M., Carpenter, S.R., **Steffen, W.** and Rockström, J. (2013) The topology of non-linear global carbon dynamics: from tipping points to planetary boundaries. *Environ. Res. Lett.* **8**: doi:10.1088/1748-9326/8/4/044048

Steffen, W. (2013) Commentary: Paul J. Crutzen and Eugene F. Stoermer, “The Anthropocene” (2000). In: *The Future of Nature*. Robin, L., Sörlin, S. and Warde, P. (eds), Yale University Press, New Haven and London, pp. 486-490.

Steffen, W. and Stafford Smith, M. (2013) Planetary boundaries, equity and global sustainability: why wealthy countries could benefit from more equity. *Current Opinion in Environmental Sustainability* **5**: 403-408.

Norman, B., **Steffen, W.**, Webb, R., Capon, A., Maher, W., Woodroffe, C., Rogers, K., Tanton, R., Vidyattama, Y., Lavis, J., Sinclair, H. and Weir, B. (2013). South East Coastal Adaptation (SECA): Coastal urban climate futures in SE Australia from Wollongong to Lakes Entrance. National Climate Change Adaptation Research Facility, Gold Coast, 130 pp.

Mackey, B., Prentice, I.C., **Steffen, W.**, Lindenmayer, D., Keith, H., Berry, S. and House, J. (2013) Untangling the confusion around land carbon science and climate change mitigation policy. *Nature Climate Change* **3**: 552-557.

Griggs, D., Stafford Smith, M., Gaffney, O., Rockström, J., Öhman, M.C., Shyamsundar, P., **Steffen, W.**, Glaser, G., Kanie, N. and Noble, I. (2013) Sustainable development goals for people and planet. *Nature* **495**: 305-307.

2012

Zalasiewicz, J., Crutzen, P. and **Steffen, W.** (2012). The Anthropocene. In: *A Geological Time Scale 2012*. Gradstein, F.M., Ogg, J.G., Schmitz, M. and Ogg, G.M. (eds). Amsterdam: Elsevier. Pp. 1033-1040.

Fulton, E.A., Finnigan, J.J., Adams, P., Bradbury, R., Pearman, G.I., Sewell, R., **Steffen, W.** and Syme, G. (2012) Exploring futures with quantitative models. In: *Negotiating Our*

Future: Living Scenarios for Australia to 2050. Raupach, M.R., McMichael, T., Finnigan, J.J., Manderson, L. and Walker, B.H. (eds). Australian Academy of Science, Canberra, pp. 152-187.

Seitzinger, S.P., Svedin, U., Crumley, C.L., **Steffen, W.**, Abdullah, S.A., Alfsen, C., Broadgate, W.J., Biermann, F.H.B., Bondre, N.R., Dearing, J.A., Deutsch, L., Dhakal, S., Elmqvist, T., Farahbakhshazad, N., Gaffney, O., Haberl, H., Lavorel, S., Mbow, C., McMichael, A.J., deMorais, J.M.F., Olsson, P., Pinho, P.F., Seto, K.C., Sinclair, P., Stafford Smith, M. and Sugar, L. (2012) Planetary stewardship in an urbanizing world: beyond city limits. *Ambio*, **41**: 787-795.

Costanza, R., van der Leeuw, S., Hibbard, K., Aulenbach, S., Brewer, S., Burek, M., Cornell, S., Crumley, C., Dearing, J., Folke, C., Graumlich, L., Hegmon, M., Heckbert, S., Jackson, S.T., Kubiszewski, I., Scarborough, V., Sinclair, P., Sörlin, S. and **Steffen, W.** (2012) Developing an Integrated History and future of People on Earth. *Current Opinion in Environmental Sustainability* **4**: 106-114.

Lindenmayer, D.B., Hulvey, K., Hobbs, R.J., Colyvan, M., Felton, A., Possingham, H., **Steffen, W.**, Wilson, K., Youngentob, K. and Gibbons, P. (2012) Avoiding bio-perversity from carbon sequestration solutions that have unintended harmful impacts on biodiversity. *Conservation Letters*, in press.

2011

Van der Leeuw, S., Costanza, R., Aulenbach, S., Brewer, S., Burek, M., Cornell, S., Crumley, C., Dearing, J.A., Downy, C., Graumlich, L.J., Heckbert, S., Hegmon, M., Hibbard, K., Jackson, S.T., Kubiszewski, I., Sinclair, P., Sörlin, S. and **Steffen, W.** (2011) Toward an Integrated History to Guide the Future. *Ecology and Society* **16** (4): 2. [online] URL: <http://www.ecologyandsociety.org/vol16/iss4/art2/>

Steffen, W., Persson Å., Deutsch, L., Zalasiewicz, J., Williams, M., Richardson, K., Crumley, C., Crutzen, P., Folke, C., Gordon, L., Molina, M., Ramanathan, V., Rockström, J., Scheffer, M., Schellnhuber, J., Svedin, U. (2011) The Anthropocene: from global change to planetary stewardship. *Ambio* **40**: 739-761.

Folke, C., Jansson, Å., Rockström, J., Olsson, P., Carpenter, S., Chapin, F.S., Crepin, A-S., Daily, G., Danell, K., Ebbesson, J., Elmqvist, T., Galaz, V., Moberg, F., Nilsson, M., Österblom, H., Orstrom, E., Persson Å., Peterson, G., Polasky, S., **Steffen, W.**, Walker, B. and Westley, F. (2011) Reconnecting to the biosphere. *Ambio* **40**: 719-738.

van Kerkhoff, L., Ahmad, I.H., Pittock, J. and **Steffen, W.** (2011). Designing the green climate fund: How to spend \$100 billion sensibly. *Environment* **53**: 18-30.

Steffen, W., Rockström, J. and Costanza, R. (2011) Defining planetary boundaries to solve the growth dilemma. *Solutions* **2** (No 3): <http://www.thesolutionsjournal.com/node/935>.

Steffen, W., Grinevald, J., Crutzen, P. and McNeill, J. (2011). The Anthropocene: Conceptual and historical perspectives. *Philosophical Transactions of the Royal Society A* **369**: 842-867.

Steffen, W. (2011) A Truly Complex and Diabolical Policy Problem. In: Oxford Handbook of Climate Change and Society (Eds. J.S. Dryzek, R.B. Norgaard and D. Schlosberg) Oxford University Press, Oxford, pp. 21-37.

Richardson, K., **Steffen, W.**, Liverman, D., Barker, T., Jotzo, F., Kammen, D., Leemans, R., Lenton, T., Munasinghe, M., Osman-Elasha, B., Schellnhuber, J., Stern, N., Vogel, C., and Waever, O. (2011) Climate Change: Global Risks, Challenges and Decisions. Cambridge: Cambridge University Press, 502 pp.

2010

Zalasiewicz, J., Williams, M., **Steffen, W.** and Crutzen, P. (2010). Response to “The Anthropocene forces us to reconsider adaptationist models of human-environment interactions. *Environmental Science & Technology* 44: 2228-2231. doi: 10.1021/es903118j

Lindenmayer, D.B., **Steffen, W.**, Burbidge, A.A., Hughes, L., Kitching, R.L., Musgrave, W., Stafford Smith, M. and Werner, P.A. (2010) Conservation strategies in response to rapid climate change: Australia as a case study. *Biological Conservation*, doi:10.1016/j.biocon.2010.04.014.

Chapin III, F.S., Carpenter, S.R., Kofinas G.P., Folke, C., Abel, N., Clark, W.C., Olsson, P., Stafford Smith, D.M., Walker, B., Young, O.R., Berkes, F., Biggs, R., Grove, J.M., Naylor, R.L., Pinkerton, E., **Steffen, W.** and Swanson, F.J. (2010) Ecosystem stewardship: sustainability strategies for a rapidly changing planet. *Trends in Ecology and Evolution* 25: 241-249.

Steffen, W. (2010) Observed trends in Earth System behavior. In: WIREs (Wiley Interdisciplinary Reviews) Climate Change, John Wiley Publishers, DOI: 10.1002/wcc.36.

Zalasiewicz, J., Williams, M., **Steffen, W.** and Crutzen, P. (2010). The new world of the Anthropocene. *Environmental Science & Technology*, doi: 10.1021/es903118j

Barange, M., Field, J.G. and **Steffen, W.** (2010). Introductions: oceans in the Earth System. In: *Global Change and Marine Ecosystems*. M. Barange, J.G. Field, R.H. Harris, E. Hofmann, R. I. Perry & F. Werner (eds). Oxford University Press, pp. 1-7.

Steffen, W., Sims, J., Walcott, J. and Laughlin, G. (2010) Australian agriculture: coping with dangerous climate change. *Regional Environmental Change*, DOI 10.1007/s10113-010-0178-5

2009

Rockström, J., **Steffen, W.**, Noone, K., Persson, Å, Chapin, III, F.S., Lambin, E.F., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P. and Foley, J.A. (2009). Planetary Boundaries: Exploring

the Safe Operating Space for Humanity. *Ecology and Society* **14** (2): 32. [online] URL: <http://www.ecologyandsociety.org/vol14/iss2/art32/>

Rockström, J., **Steffen, W.**, Noone, K., Persson, Å, Chapin, III, F.S., Lambin, E.F., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P. and Foley, J.A. (2009). A safe operating space for humanity. *Nature* **461**: 472-475.

Richardson, K., **Steffen, W.**, Schellnhuber, H.-J., Alcamo, J., Barker, T., Kammen, D.M., Leemans, R., Liverman, D., Munasinghe, M., Osman-Elasha, B., Stern, N. and Waever, O. (2009). Synthesis Report. Climate Change: Global Risks, Challenges & Decisions. Summary of the Copenhagen Climate Change Congress, 10-12 March 2009. University of Copenhagen, 39 pp.

Steffen, W. (2009) Climate Change 2009: Faster Change & More Serious Risks. Department of Climate Change, Australian Government, 52 pp.

Stacey, N., Boggs, G., Campbell, B. and **Steffen, W.** (eds) (2009). Prepare for impact! When people and environment collide in the tropics. Charles Darwin University Press, Darwin, Australia, 119 pp.

Steffen, W. (2009) Climate change in the tropics. In: *Prepare for impact! When people and environment collide in the tropics*. Eds: Stacey, N., Boggs, G., Campbell, B. and Steffen, W. Charles Darwin University Press, Darwin, Australia, pp 23-32.

Felton, A., Fischer, J., Lindenmayer, D.B., Montague-Drake, R., Lowe, A.R., Saunders, D., Felton, A.M., **Steffen, W.**, Munro, N.T., Youngentob, K., Gillen, J., Gibbons, P., Bruzgul, J.E., Fazey, I., Bond, S.J., Elliott, C.P., Macdonald, B.C.T., Porfirio, L.L., Westgate, M. and Worthy, M. (2009) Climate change, conservation and management: An assessment of the peer-reviewed scientific journal literature. *Biodiversity and Conservation* **18**: 2243-2253.

Steffen, W., Burbidge, A., Hughes, L., Kitching, R., Lindenmayer, D., Musgrave, W., Stafford Smith, M. and Werner, P. (2009) Australia's Biodiversity and Climate Change. CSIRO Publishing, 236 pp.

Young, O. and **Steffen, W.** (2009) The Earth System: Sustaining planetary life support systems. In: *Principles of Ecosystem Stewardship: Resilience-Based Resource Natural Resource Management in a Changing World*. F.S. Chapin III, G.P. Kofinas and C. Folke (eds), Springer-Verlag, New York, pp. 295-315.

Manning, A.D., Fischer, J., Felton, A., Newell, B., **Steffen, W.** and Lindenmayer, D.B. (2009) Landscape fluidity – a new perspective for understanding and adapting to global change. *Journal of Biogeography* **36**: 193-199.

Steffen, W. (2009) Learning by doing: managing for ecosystem services. *Proc. Natl. Acad. Sci. USA*, **106**: 1301-1302.

Morton, S.R., Hoegh-Guldberg, O., Lindenmayer, D.B., Harriss Olson, M., Hughes, L., McCulloch, M.T., McIntyre, S., Nix, H.A., Prober, S.M., Saunders, D.A., Andersen, A.N., Burgman, M.A., LeFroy, E.C., Lonsdale, W.M., Lowe, I., McMichael, A.J., Parslow, J.S., **Steffen, W.**, Williams, J.E. and Woinarski, J.C.Z. (2009) The big ecological questions inhibiting effective environmental management in Australia. *Austral Ecology* 34: 1-9.

Porfirio, L.L., **Steffen, W.**, Barrett, D.J. and Berry, S.L. (2009) The net ecosystem carbon exchange of human-modified environments in the Australian Capital Region. *Regional Environmental Change* DOI 10.1007/s10113-008-0081-5

2008

Steffen, W. (2008) Looking back to the future. *Ambio* 37: 507-513.

Steffen, W. (2008) The future of Australia's environment in the Anthropocene. In: *Ten Commitments: Reshaping the Lucky Country's Environment*. D.B. Lindenmayer, S. Dovers, M. Harriss Olson and S. Morton (eds), CSIRO Publishing, pp 143-147.

Erickson III, D.J., Oglesby, R.J., Elliott, S., **Steffen, W.** and Brasseur, G. (2008) Chapter seventeen challenges in Earth System modelling: Approaches and applications. *Developments in Integrated Environmental Assessments* 3: 297-306.

2007

Costanza, R., Graumlich, L., **Steffen, W.**, Crumley, C., Dearing, J., Hibbard, K. Leemans, R., Redman, C. and Schimel, D. (2007) Sustainability or collapse: What can we learn from integrating the history of humans and the rest of nature? *Ambio* 36: 522-527.

Robin, L. and **Steffen, W.** (2007) History for the Anthropocene. *History Compass*, 5: 10.1111/j.1478-0542.2007.00459.x

Simmonds, I. and **Steffen, W.** (2007) Comments on the paper: Carter, R. M., C. R. de Freitas, I. M. Goklany, D. Holland and R. S. Lindzen, 2006: The Stern Review: A dual critique: Part I: The science. *World Economics*, 7, 167-198. *World Economics* 8: 1-9.

Fischer, J., Manning, A.D., **Steffen, W.**, Rose, D.B., Daniell, K., Felton, A., Garnett, S., Gilna, B., Heinsohn, R., Lindenmayer, D.B., MacDonald, B., Mills, F., Newell, B., Reid, J., Robin, L., Sherren, K. and Wade, A. (2007) Mind the sustainability gap. *Trends in Ecology and Evolution* 22: 621-624.

Steffen, W., Crutzen, P.J. and McNeill, J.R. (2007). The Anthropocene: Are humans now overwhelming the great forces of Nature? *Ambio* 36: 614-621.

Steffen, W. (2007) Working Group 1 Report of the IPCC Fourth Assessment – an editorial. *Global Environmental Change*, doi:10.1016/j.gloenvcha.2007.08.001

Steffen, W. (2007) Just another environmental problem? *Current History* 106: 369-375.

Brasseur, G., Denman, K., Chidthaisong, A., Ciais, P., Cox, P., Dickinson, R., Hauglustaine, D., Heinze, C., Holland, E., Jacob, D., Lohmann, U., Ramachandran, S., Leite da Silva Diaz, P., Wofsy, S., Zhang, X., Archer, D., Arora, J., Austin, J., Baker, D., Berry, J., Bonan, G., Bousquet, P., Clark, D., Eyring, V., Feichter, J., Friedlingstein, P., Fung, I., Fuzzi, S., Gong, S., Guenther, A., Henderson-Sellers, A., Jones, A., Kärcher, B., Kawamiya, M., Malhi, Y., Masarie, K., Menon, S., Miller, J., Peylin, P., Pitman, A., Quaas, J., Rayner, P., Riebesell, U., Rödenbeck, C., Rotstayn, L., Roulet, N., Sabine, C., Schultz, M., Schulz, M., **Steffen, W.**, Schwartz, S., Lee-Taylor, J., Tian, Y., Wild, O. and Zhou, L. (2007) Couplings between changes in the climate system and biogeochemistry. Intergovernmental Panel on Climate Change (IPCC), Fourth Assessment Report, Working Group 1 Report, Cambridge University Press, pp. 499-588.

2006

Hibbard, K.A., Crutzen, P.J., Lambin, E.F., Liverman, D., Mantua, N.J., McNeill, J.R., Messerli, B. and **Steffen, W.** (2006) Decadal interactions of humans and the environment. In: Costanza, R., Graumlich, L. and Steffen, W. (eds) Integrated History and Future of People on Earth, Dahlem Workshop Report 96, pp 341-375.

Costanza, R., Graumlich, L. and **Steffen, W.** (eds) (2006) Integrated History and Future of People on Earth, Dahlem Workshop Report 96, 495 pp.

Steffen, W. (2006) The Arctic in an Earth System Context: From Brake to Accelerator of Change. *Ambio* 35: 153-159.

Steffen, W. (2006) The Anthropocene, global change and sleeping giants: where on Earth are we going? *Carbon Balance and Management*, 1:3 doi:10.1186/1750-0680-1-3.

Steffen, W. (2006) Stronger evidence but new challenges: climate change science 2001-2005. The Australian Greenhouse Office, Australian Government, Canberra, 28 pp.

Canadell, J.G., Pataki, D., Gifford, R., Houghton, S., Luo, Y., Raupach, M.R., Smith, P. and **Steffen, W.** (2006) Saturation of the terrestrial carbon sink. In: Terrestrial Ecosystems in a Changing World, Canadell, J.G., Pataki, D. and Pitelka, L. (eds.). The IGBP Book Series, Springer-Verlag, Berlin, Heidelberg, New York, pp. 81-100.

Steffen, W., Love, G. and Whetton, P. (2006) Approaches to defining dangerous climate change: a southern hemisphere perspective. In: Schellnhuber, H.J., Cramer, W., Nakicenovic, N., Wigley, T. and Yohe, G. (eds) *Avoiding Dangerous Climate Change*. Cambridge University Press, pp. 219-225.

Steffen, W. (2006) Sleeping giants: Surprises in the climate and Earth System. In: R. Chapman, J. Boston and M. Schwass (eds) *Confronting Climate Change: Critical Issues for New Zealand*. Victoria University Press, Wellington, NZ, pp. 103-113.

Costanza, R., Graumlich, L.J. and **Steffen, W.** (2006) Sustainability or collapse: Lessons from integrating the history of humans and the rest of nature. In: Costanza, R., Graumlich,

L. and Steffen, W. (eds) Integrated History and Future of People on Earth, Dahlem Workshop Report 96, pp 3-17.

Plummer, S., Arino, O., Simon, M. and **Steffen, W.** (2006) Establishing an Earth observation product for the terrestrial carbon community: The Globcarbon Initiative. *Mitigation and Adaptation Strategies for Global Change*, 11: 97-111.

Steffen, W. and Lambin, E. (2006) Earth System functioning in the Anthropocene: Human impacts on the Global Environment. In: Eds. Andreae, A., McMichael A. J. and Confalonieri, U.E.C. 'Interactions between Global Change and Human Health', Pontifical Academy of Sciences, pp. 112-144..

2005

Gordon, L.J., **Steffen, W.**, Jönsson, B.F., Folke, C., Falkenmark, M. and Johannessen, Å (2005) Human modification of global water vapor flows from the land surface. *Proceedings of the National Academy of Sciences (USA)* 102: 7612-7617.

Steffen, W. and Canadell, P. (2005) Carbon dioxide fertilisation and climate change policy. Australian Greenhouse Office (AGO), Canberra, 33 pp.

Brasseur, G., **Steffen, W.** and Noone, K. (2005) Earth System focus for geosphere-biosphere program. *Transactions, American Geophysical Union* 86:209,213.

2004

Steffen, W., Sanderson, A., Tyson, P.D., Jäger, J., Matson, P., Moore III, B., Oldfield, F., Richardson, K., Schellnhuber, H.-J., Turner II, B.L. and Wasson, R.J. (2004). *Global Change and the Earth System: A Planet Under Pressure*. The IGBP Book Series, Springer-Verlag, Berlin, Heidelberg, New York, 336 pp.

Ciais, P., Moore, B., **Steffen, W.**, Rasool, I., Quegan, S., Hood, M., Raupach, M., Doney, S., Heinze, C., Sabine, C., Hibbard, K., Cihlar, J., Schulze, D., Heimann, M. and Chédin, A. (2004). Integrated Global Carbon Observation (IGCO) theme. Report to the Integrated Global Observing Strategy Partnership (IGOS-P). Published by the IGBP Secretariat, Stockholm, Sweden.

Steffen, W., Andreae, M.O., Bolin, B., Crutzen, P.J., Cox, P., Cubasch, U., Held, H., Nakicenovic, N., Scholes, R., Talaue-McManus, L., Turner II, B.L. (2004) Abrupt changes: the Achilles heels of the Earth System. *Environment*, 46 (No. 3): 9-20.

Steffen, W., Andreae, M.O., Bolin, B., Crutzen, P.J., Cox, P., Cubasch, U., Held, H., Nakicenovic, N., Scholes, R., Talaue-McManus, L., Turner II, B.L. (2004) Earth System Dynamics in the Anthropocene. In: Clark W.C., Cruzen, P.J., Schellnhuber, H.J. (eds) *Earth System Analysis for Sustainability*. Dahlem Workshop Report 91. The MIT Press, Cambridge, MA, USA, pp. 211-238.

Brasseur, G.P., **Steffen, W.** and Granier, C. (2004) Atmospheric composition and surface exchanges. In: Granier, C., Artaxo, P. and Reeves, C.E. (eds) Emissions of Atmospheric Trace Compounds, Kluwer Academic Publishers, pp 1-15.

2003

Crutzen, P.C. and **Steffen, W.** (2003) How long have we been in the Anthropocene Era? *Climatic Change* 61: 251-257.

Weubbles, D.J., Brasseur, G.P., Rodhe, H., Barrie, L.A., Crutzen, P.J., Delmas, R.J., Jacob, D.J., Kolb, C., Pszenny, A., **Steffen, W.** and Weiss, R.F. (2003) Changes in the chemical composition of the atmosphere and potential impacts. In: Brasseur, G.P., Prinn, R.G. and Pszenny, A.A.P. (eds.) Atmospheric Chemistry in a Changing World. The IGBP Book Series, Springer-Verlag, Berlin, Heidelberg, New York, pp.1-17.

Brasseur, G.P., Artaxo, P., Barrie, L.A., Delmas, R.J., Galbally, I., Hao, W.M., Harriss, R.C., Isaksen, I.S.A., Jacob, D.J., Kolb, C.E., Prather, M., Rodhe, H., Schwela, D., **Steffen, W.** and Wuebbles, D.J. (2003) An integrated view of the causes and impacts of atmospheric changes. In: Brasseur, G.P., Prinn, R.G. and Pszenny, A.A.P. (eds.) Atmospheric Chemistry in a Changing World. The IGBP Book Series, Springer-Verlag, Berlin, Heidelberg, New York, pp. 207-230.

Steffen, W. (2003) Terrestrial ecosystems, land use and global sustainability. *Tropical Ecology* 44: 7-14.

2002

Steffen, W., Jäger, J., Carson, D.J. and Bradshaw, C. (eds.) (2002). Challenges of a Changing Earth. Proceedings of the Global Change Open Science Conference, Amsterdam, 10-13 July 2001. Springer-Verlag, Heidelberg, 216 pp.

Steffen, W. (2002). Will technology spare the planet? In: Steffen, W., Jäger, J., Carson, D.J. and Bradshaw, C. (eds.). Challenges of a Changing Earth. Proceedings of the Global Change Open Science Conference, Amsterdam, 10-13 July 2001. Springer-Verlag, Heidelberg, pp. 189-191.

Tyson, P., Fuchs, R., Fu, C., Lebel, L., Mitra, A.P., Odada, E., Perry, J., **Steffen, W.** and Virji, H. (eds.) (2002). Global-Regional Linkages in the Earth System. The IGBP Book Series, Springer-Verlag, Berlin, Heidelberg, New York, 198 pp.

Canadell, J.G., **Steffen, W.L.** and White, P.S. (2002). IGBP/GCTE terrestrial transects: Dynamics of terrestrial ecosystems under environmental change. *Journal of Vegetation Science* 13: 297-450 (special issue).

2001

Schimel D.S., House J.I., Hibbard K.A., Bousquet P., Ciais P., Peylin P., Braswell B.H., Apps M.J., Baker D., Bondeau A., Canadell J., Churkina G., Cramer W., Denning A.S.,

Field C.B., Friedlingstein P., Goodale C., Heimann M., Houghton R.A., Melillo J.M., Moore III B., Murdiyarso D., Noble I., Pacala S.W., Prentice I.C., Raupach M.R., Rayner P.J., Scholes R.J., **Steffen W.L.**, Wirth C. (2001) Recent patterns and mechanisms of carbon exchange by terrestrial ecosystems. *Nature* 414: 169-172.

Steffen, W., Tyson, P., Jäger, J., Matson, P., Moore, B., Oldfield, F., Richardson, K., Schellnhuber, J., Turner, B. and Wasson, R. (2001) Earth system science: An integrated approach. *Environment* 43: 21-27.

Steffen, W. (2001) Toward a new approach to climate impact studies. In: Bengtsson, L.O. and Hammer, C.U. (eds) Geosphere-Biosphere Interactions and Climate. Cambridge, UK: Cambridge University Press, pp. 273-279.

Lambin E.F., Turner II B.L., Geist H., Agbola S., Angelsen A., Bruce J.W., Coomes O., Dirzo R., Fischer G., Folke C., George P.S., Homewood K., Imbernon J., Leemans R., Li X., Moran E.F. Mortimore M., Ramakrishnan P.S., Richards J.F., Skånes H., **Steffen W.**, Stone G.D., Svedin U., Veldkamp T., Vogel C., Xu J., (2001). Our emerging understanding of the causes of land-use and -cover change. *Global Environmental Change*, 11: 261-269.

Steffen, W. (2001). The IGBP Terrestrial Transects. In: Munn, T. (ed.). Encyclopedia of Global Environmental Change. John Wiley and Sons Ltd., London, Vol 2, pp. 351-357.

Steffen, W. (2001). IGBP Core Projects. In: Munn, T. (ed.). Encyclopedia of Global Environmental Change. John Wiley and Sons Ltd., London, Vol. 2, pp. 37-55.

Tyson P., **Steffen W.**, Mitra A.P., Congbin Fu and Lebel L. (2001). The Earth System: Regional-global linkages. *Regional Environmental Change* 2: 128-140.

2000

Aber, J.D., Burke, I.C., Acock, B., Bugmann, H.K.M., Kabat, P., Menaut, J.-C., Noble, I.R., Reynolds, J.F., **Steffen, W.L.** and Wu, J. (2000). Hydrological and biogeochemical processes in complex landscapes: What is the role of temporal and spatial ecosystem dynamics? In: Tenhunen, J.D. and Kabat, P. (eds.). Integrating Hydrology, Ecosystem Dynamics, and Biogeochemistry in Complex Landscapes. Dahlem Workshop Reports. John Wiley & Sons Ltd: Chichester, UK, pp. 335-355.

Steffen, W. (2000). The IGBP Terrestrial Transects: Tools for Resource Management and Global Change Research at the Regional Scale. In: Ringrose, Susan and Chanda, Raban (eds). Towards Sustainable Management in the Kalahari Region. Directorate of Research and Development, University of Botswana, Gaborone, Botswana, pp. 1-12.

Piketh, S.J., Tyson, P.D. and **Steffen, W.** (2000): Aeolian transport from southern Africa and iron fertilisation of marine biota in the South Indian Ocean. *South African Journal of Science* 96: 244-246.

Bolin, B., Sukumar, R., Ciais, P., Cramer, W., Jarvis, P., Kheshgi, H., Nobre, C., Semenov, S. and **Steffen, W.** (2000). Global perspective. In: Watson, R.T., Noble, I.R., Bolin, B., Ravindranath, N.H., Verardo, D.J. and Dokken, D.J. (eds). Land Use, Land Use Change,

and Forestry. A Special Report of the Intergovernmental Panel on Climate Change (IPCC). Cambridge University Press, Cambridge, pp. 23-52.

Falkowski, P., Scholes, R.J., Boyle, E., Canadell, J., Canfield, D., Elser, J., Gruber, N., Hibbard, K., Höglberg, P., Linder, S., Mackenzie, F.T., Moore III, B., Pedersen, T., Rosenthal, Y., Seitzinger, S., Smetacek, V. and **Steffen, W.** (2000) The global carbon cycle: A test of our knowledge of Earth as a system. *Science*, 290: 291-296.

Kittel, T., **Steffen, W.L.**, and Chapin, F.S. III (2000). Global and regional modeling of Arctic-boreal vegetation distribution and its sensitivity to altered forcing. *Global Change Biology* 6(Suppl. 1): 1-18.

Canadell, J.G., Mooney, H.A., Baldocchi, D.D., Berry, J.A., Ehleringer, J.R., Field, C.B., Gower, S.T., Hollinger, D.Y., Hunt, J.E. Jackson, R.B., Running, S.W., Shaver, G.R., **Steffen, W.**, Trumbore, S.E., Valentini, R., and Bond, B.Y. (2000) Carbon metabolism of the terrestrial biosphere: a multi-technique approach for improved understanding. *Ecosystems* 3: 115-130.

1999

Walker, B.H., **Steffen, W.L.**, Canadell, J. and Ingram, J.S.I. (eds.) (1999). Global Change and the Terrestrial Biosphere: Implications for Natural and Managed Ecosystems. A Synthesis of GCTE and Related Research. IGBP Book Series No. 4, Cambridge University Press, Cambridge, 432 pp.

Walker, B.H. and **Steffen, W.L.** (1999) The nature of global change. In: Walker, Brian, Steffen, Will, Canadell, Josep, and Ingram, John (eds.) *Global Change and the Terrestrial Biosphere: Implications for Natural and Managed Ecosystems. A Synthesis of GCTE and Related Research*. IGBP Book Series No. 4, Cambridge University Press, Cambridge, pp. 1-18.

Steffen, W.L., Valentin, C., Scholes, R.J., Zhang, X-S, and Menaut, J-C. (1999). The IGBP Terrestrial Transects. In: Walker, Brian, Steffen, Will, Canadell, Josep, and Ingram, John (eds.) *Global Change and the Terrestrial Biosphere: Implications for Natural and Managed Ecosystems. A Synthesis of GCTE and Related Research*. IGBP Book Series No. 4, Cambridge University Press, Cambridge, pp. 66-87.

Walker, B.H., **Steffen, W.L.** and Langridge, J. (1999). Interactive and integrated effects of global change on terrestrial ecosystems. In: Walker, Brian, Steffen, Will, Canadell, Josep, and Ingram, John (eds.) *Global Change and the Terrestrial Biosphere: Implications for Natural and Managed Ecosystems. A Synthesis of GCTE and Related Research*. IGBP Book Series No. 4, Cambridge University Press, Cambridge, pp. 329-375.

Bolin, B., Canadell, J., Moore III, B., Noble, I. and **Steffen, W.** (1999) Effect on the biosphere of elevated atmospheric CO₂. *Science* 285: 185-186.

Morais, J., and **Steffen, W.** (1999) Global change and Earth (sub)-system science. *Regional Environmental Change* 1: 2-3.

1998

Steffen, Will (1998) Putting the human dimension into global change science: a personal perspective. In Gopal, B., Pathak, P.S. and Saxena, K.G. (eds.) *Ecology Today: An Anthology of Contemporary Ecological Research*. International Scientific Publications, New Delhi, pp. 85-95.

Schulze, E.-D., Scholes, R.J., Ehleringer, J.R., Hunt, L.A., Canadell, J., Chapin III, F.S. and **Steffen, W.L.** (1998) The study of ecosystems in the context of global change. In: Walker, Brian, Steffen, Will, Canadell, Josep, and Ingram, John (eds.) *Global Change and the Terrestrial Biosphere: Implications for Natural and Managed Ecosystems. A Synthesis of GCTE and Related Research*. IGBP Book Series No. 4, Cambridge University Press, Cambridge, pp. 19-44.

IGBP Terrestrial Carbon Working Group* (1998) The Terrestrial Carbon Cycle: Implications for the Kyoto Protocol. *Science* 280: 1393-1394. ***W. Steffen**, I. Noble, J. Canadell, M. Apps, E.-D. Schulze, P.G. Jarvis, D. Baldocchi, P. Ciais, W. Cramer, J. Ehleringer, G. Farquhar, C.B. Field, A. Ghazi, R. Gifford, M. Heimann, R. Houghton, P. Kabat, C. Körner, E. Lambin, S. Linder, H.A. Mooney, D. Murdiyarso, W.M. Post, I.C. Prentice, M.R. Raupach, D.S. Schimel, A. Shvidenko and R. Valentini.

Lebel, L. and **Steffen, W.** (Eds) (1998). Global Environmental Change and Sustainable Development: Science Plan for a SARCS Integrated Study. Southeast Asian Regional Committee for START (SARCS), Bangkok, Thailand, 139 pp.

Chapin, F.S.III, Sala, O., Burke, I.C., Grime, J.P., Hooper, D.U., Lauenroth, W.K., Lombard, A., Mooney, H.A., Mosier, A.R., Naeem, S., Pacala, S.W., Roy, J., **Steffen, W.L.**, and Tilman, D. (1998). Ecosystem consequences of changing biodiversity. *BioScience* 48: 45-52.

1997

Cramer, Wolfgang, and **Steffen, Will** (1997). Forecast changes in the global environment: what they mean in terms of ecosystem responses on different time-scales. NATO ASI Series No. I 47: Brian Huntley et al. (eds) "Past and Future Rapid Environmental Changes: The Spatial and Evolutionary Responses of Terrestrial Biota, Springer-Verlag, Berlin, Heidelberg, pp. 415-426.

Steffen, Will, and Langridge, Jenny (1997). The IGBP Northern Eurasia Study - status and perspectives. In 'Sustainable Development of Boreal Forests'. Proceedings of the 7th Annual Conference of the International Boreal Forest Research Association, St Petersburg, Russia, 19-23 August 1996. International Boreal Forest Research Association (IBFRA) and Federal Forest Service of Russia, Moscow, pp. 129-138.

Walker, Brian and **Steffen, Will** (1997). An overview of the implications of global change for natural and managed terrestrial ecosystems. *Conservation Ecology* (on line) 1 (2): 2. Available from the Internet. URL: <http://www.consecol.org/vol1/iss2/art2>

1996

Steffen, W.L., Chapin III, F.S. and Sala, O.E. (1996) Global change and ecological complexity: an international research agenda. *Trends in Ecol. and Evol.* 11: 186.

Sutherst, Bob, Ingram, John, and **Steffen, Will** (eds.) (1996). GCTE Activity 3.2: Global Change Impacts on Pests, Diseases and Weeds: Implementation Plan. GCTE Report No. 11, Global Change and Terrestrial Ecosystems, Canberra, 51 pp.

Steffen, W.L., and Shvidenko, A.Z. (eds.) (1996). IGBP Northern Eurasia Study: Prospectus for an Integrated Global Change Research Project. IGBP Report No. 37, The International Geosphere-Biosphere Programme, Stockholm, 95 pp.

Woodward, F.I., and **Steffen, W.L.** (eds.) (1996). Natural disturbances and human land use in Dynamic Global Vegetation Models. IGBP Report No. 38, The International Geosphere-Biosphere Programme, Stockholm, 49 pp.

Walker, B.H., and **Steffen, W.L.** (1996). GCTE science: objectives, structure and implementation. In: Walker, Brian, & Steffen, Will (eds.) *Global Change and Terrestrial Ecosystems*. IGBP Book Series No. 2, Cambridge University Press, Cambridge, pp. 3-9.

Walker, Brian, and **Steffen, Will** (eds.) (1996) Global Change and Terrestrial Ecosystems. IGBP Book Series No. 2, Cambridge University Press, Cambridge, 607 pp.

Steffen, Will (1996). A periodic table for ecology? A chemist's view of functional types. *J. Veg. Sci.* 7: 425-430.

Steffen, Will, Cramer, Wolfgang, Plöchl, Matthias, and Bugmann, Harald (1996). Global vegetation models: incorporating transient changes to structure and composition. *J. Veg. Sci.* 7: 321-328.

1995

Koch, G.W., Scholes, R.J., **Steffen, W.L.**, Vitousek, P.M., and Walker, B.H. (eds.) (1995). The IGBP Terrestrial Transects: Science Plan. IGBP Report No. 36, The International Geosphere-Biosphere Programme, Stockholm, 61 pp.

Stafford Smith, M., Campbell, B., **Steffen, W.**, Archer, S., and Ojima, D. (eds.) (1995). GCTE Task 3.1.3. Global Change Impacts on Pastures and Rangelands: Implementation Plan. GCTE Report No. 3, Global Change and Terrestrial Ecosystems, Canberra, 59 pp.

Steffen, William L., and Ingram, John S.I. (1995). Global change and terrestrial ecosystems: an initial integration. *J. Biogeogr.* 22: 165-174.

Koch, George W., Vitousek, Peter M., **Steffen, William L.**, and Walker, Brian H. (1995). Terrestrial transects for global change research. *Vegetatio* 121: 53-65.

1993

Walker, B.H., and **Steffen, W.L.** (1993) Rangelands and Global Change. *Rangel. J.*, 15: 95-103.

Heal, O.W., Menaut, J-C., and **Steffen, W.L.** (eds.) (1993). Towards a Global Terrestrial Observing System (GTOS). IGBP Report No. 26, The International Geosphere-Biosphere Programme, Stockholm, 71 pp.

1992

Steffen, Will, and Walker, Brian (1992). Global change and terrestrial ecosystems. *Search* 23: 28-3

Steffen, W.L., Walker, B.H., Ingram, J.S.I. and Koch, G.W. (eds.) (1992). *Global Change and Terrestrial Ecosystems: The operational plan*. IGBP Report No. 21, The International Geosphere-Biosphere Programme, Stockholm, 95 pp.

1988

Steffen, W.L., and Denmead, OT. (eds.) (1988). 'Flow and Transport in the Natural Environment: Advances and Applications'. Springer-Verlag, Heidelberg, 394 pp.

1987

18. Broomhead, J.A., Pasha, N.A., Soloff, C.A., **Steffen, W.L.**, and Sterns, M. (1987). The x-ray crystal structure, resolution and absolute configuration of the cis- -dichloro (1,8-diamino-3, 6-diazaoctane)ruthenium(III) cation. *Transition Met. Chem.* 12: 361-6.

1984

Hammershoi, A., Sargeson, A.M., and **Steffen, W.L.** (1984). Reactivity studies of chelated maleate ion. Stereoselectivity and structural correlations. *J. Am. Chem. Soc.*, 106: 281.9-.37.

1982

Allen, C.M., McLaughlin, G.M., Robertson G.B., **Steffen, W.L.**, Salem, G., and Wild, S.B. (1982). Resolutions involving metal complexation. Preparation and resolution of (R,S)-methylphenyl(8-quinolyl)phosphine and its arsenic analog. Crystal and molecular structure of (+)589-(R)-dimethyl(1-ethyl- -naphthyl)aminato-C-2,N) ((S)-methylphenyl(8-quinolyl)phosphine)palladium(II) hexafluorophosphate. *Inorg. Chem.* 21: 1007-14.

1980

Bennett, M.A., Corlett, S., Robertson, G.B., and **Steffen, W.L.** (1980). Group-6 metal-carbonyl complexes of tridentate olefinic tertiary diphosphines. Crystal and molecular structure of ((E)-1,3-bis(2-(diphenylphosphino)phenyl)propene) tricarbonyl tungsten(0), $W(CO)_3$ ((E)-ortho-Ph₂PC₆H₄CH=CHCH₂C₆H₄PPh₂-ortho). *Aust. J. Chem.* 33: 1261-73.

1979

Bennett, M.A., Matheson, T.W., Robertson, G.B., **Steffen, W.L.**, and Turney, T.W. (1979). Isolation of a coordinated ketol intermediate in the hydrolysis of PF₆ initiated by the labile cations [Ru(6-arene)(acetone)₃]²⁺; x-ray crystal structure of acetone(4-hydroxy-4-methylpentan-2-one)-(6-mesitylene)-ruthenium bistetrafluoroborate. *J.S.C. Chem. Comm.*, 1979(1), 32-3.

Chun, H.K., **Steffen, W.L.**, and Fay R.C. (1979). Effects of crystal packing on the coordination geometry of eight-coordinate metal chelates. Crystal and molecular structure of tetrakis(1,3-diphenyl-1,3-propanedionate)zirconium(IV). *Inorg. Chem.* 18: 2458-65.

1978

Steffen, W.L., and Fay, R.C. (1978). A reinvestigation of the coordination geometry of eight-coordinate metal tetrakis(acetylacetonates). *Inorg. Chem.* 17: 779-82.

Steffen, W.L., and Palenik, G.J. (1978). A zwitterionic complex: Crystal and molecular structure of trichloro(N-(4'-pyridyl)-4-ethoxypyridinium)zinc(II). *Inorg. Chem.* 17: 1338-40.

Steffen, W.L., and Fay, R.C. (1978). Stereochemistry of eight-coordinate dodecahedral complexes of the type MX₄Y₄. 2. Crystal and molecular structures of tetrakis(N,N-diethylmonothiocarbamato)titanium(IV) and Tetrakis(N,N-diethylmonothiocarbamato)sirconium(IV). *Inorg. Chem.* 17: 2120-7.

Steffen, W.L., Chun, H.K., and Fay, R.C. (1978). Crystal and molecular structure of 5-cyclopentadienyltris-(N,N-dimethyldithiocarbamato)titanium(IV), a stereochemically rigid seven-coordinate chelate. *Inorg. Chem.* 17: 3498-505.

Steffen, W.L., Chun, H.K., Hoard, J.L., and Reed, C.A. (1978). Stereochemistry of Bis(1-methylimidazole)iron(II) and Bis(1-methylimidazole)manganese(III) derivatives of 5, 10, 15, 20-tetraphenylporphyrin, Fe(TPP)(1-MeIm)₂ and Mn(TPP)(1-MeIm)₂ + (abstract). *Am. Chem. Soc. Natl. Meeting 175*, March 1978.

1977

Steffen, W.L., and Palenik, G.J. (1977). Infrared and crystal structure study of sigma vs. pi-bonding in tetrahedral zinc(II) complexes. Crystal and molecular structures of dichlorobis-(4-substituted pyridine)zinc(II) complexes. *Inorg. Chem.* 16: 119-27.

Steffen, W.L., Hawthorn, S.L., Bruder, A.H., and Fay, R.C. (1977). Stereochemistry of 8-coordinate dodecahedral complexes of type MX_4Y_4 . Structures of Tetrakis(N,N-diethylmonothiocarbarmato)titanium(IV) and Tetrakis(N,N-diethylmonothiocarbarmato)zirconium(IV) (abstract). *Am. Chem. Soc. Natl. Meeting 173*, March 1977.

1976

Palenik, G.J., and **Steffen, W.L.** (1976). A redetermination of dichlorobis(pyridine)zinc(II). *Acta Cryst.* B32: 298-300.

Steffen, W.L., and Palenik, G.J. (1976). Crystal and molecular structures of dichloro[bis(diphenylphosphino)methane]-palladium(II), dichloro[bis(diphenylphosphino)ethane]-palladium(II), and dichloro[1,3-bis(diphenylphosphino)propane]palladium(II). *Inorg. Chem.* 15: 2432-9.

Steffen, W.L., Hawthorn, S.L., and Fay, R.C. (1976). Structure of tektrakis (N,N-diethylmonothiocarbamato)titanium(IV). A limitation on Orgel's rule. *J. Am. Chem. Soc.* 98: 6757-8.

1975

Palenik, G.J., Mathew, M., **Steffen, W.L.**, and Beran, G. (1975). Steric versus electronic effects in palladium-thiocyanate complexes: The crystal and molecular structures of dithiocyanato-[bis(diphenylphosphino) methane] palladium(II), Isothiocyanatothiocyanato[1,2-bis-(diphenylphosphino) ethane]palladium(II) and diisothiocyanato[1,3-bis-(diphenylphosphino)propane]palladium(II). *J. Am. Chem. Soc.* 97: 1059-66.

1974

Palenik, G.J., **Steffen, W.L.**, and Mathew, M. (1974). Steric control of thiocyanate coordination in palladium (II)-diphosphine complexes. *Inorg. Nucl. Chem. Letters* 10: 125-8.