

Table 1 Updated clearing limits and offset liability for native vegetation

Plant Community Type	Associated TEC	BC Act	EPBC Act	Impact (hectares)	Ecosystem credit liability
84 - River Oak - Rough-barked Apple - red gum - box riparian tall woodland (wetland) of the Brigalow Belt South Bioregion and Nandewar Bioregion	-	-	-	0.07	3
433 - White Box grassy woodland to open woodland on basalt flats and rises in the Liverpool Plains sub-region, BBS Bioregion	White Box Yellow Box Blakely's Red Gum Woodland and derived native grassland	CE	CE	0.02	2
434 - White Box grass shrub hill woodland on clay to loam soils on volcanic and sedimentary hills in the southern Brigalow Belt South Bioregion	White Box Yellow Box Blakely's Red Gum Woodland and derived native grassland	CE	CE	0.01	1
486 - River Oak moist riparian tall open forest of the upper Hunter Valley, including Liverpool Range	-	-	-	4.50	167
490 - Silvertop Stringybark - Forest Ribbon Gum very tall moist open forest on basalt plateau on the Liverpool Range, Brigalow Belt South Bioregion	-	-	-	1.88	69
492 - Silvertop Stringybark - Yellow Box - Apple Box - Rough-barked Apple shrub grass open forest mainly on southern slopes of the Liverpool Range, Brigalow Belt South Bioregion	White Box Yellow Box Blakely's Red Gum Woodland and derived native grassland	CE	CE	3.15	115
507 - Black Sallee - Snow Gum grassy woodland of the New England Tableland Bioregion	-	-	-	0.09	3
526 - Mountain Ribbon Gum - Messmate - Broad-leaved Stringybark open forest on granitic soils of the New England Tableland Bioregion	-	-	-	0.75	43
538 - Rough-barked Apple - Blakely's Red Gum open forest of the Nandewar Bioregion and western New England Tableland Bioregion	-	-	-	0.06	4
540 - Silvertop Stringybark - Ribbon Gum - Rough-barked Apple open forest on basalt hills of southern Nandewar Bioregion, southern New England Tableland Bioregion and NSW North Coast Bioregion	-	-	-	66.05	2164
540 - Silvertop Stringybark - Ribbon Gum - Rough-barked Apple open forest on basalt hills of southern Nandewar Bioregion, southern New England Tableland Bioregion and NSW North Coast Bioregion	Ribbon Gum—Mountain Gum—Snow Gum Grassy Forest/Woodland of the New England Tableland Bioregion	E	-	1.41	56
541 - Silvertop Stringybark - Rough-barked Apple grassy open forest of southern Nandewar Bioregion, southern New England Tableland Bioregion and NSW North Coast Bioregion	-	-	-	30.15	1044
586 - Snow Grass - Swamp Foxtail tussock grassland sedgeland of cold air drainage valleys of the New England Tableland Bioregion	-	-	-	2.56	53

Plant Community Type	Associated TEC	BC Act	EPBC Act	Impact (hectares)	Ecosystem credit liability
599 - Blakely's Red Gum - Yellow Box grassy tall woodland on flats and hills in the Brigalow Belt South Bioregion and Nandewar Bioregion	White Box Yellow Box Blakely's Red Gum Woodland and derived native grassland	CE	CE	3.59	224
931 - Messmate - Mountain Gum tall moist forest of the far southern New England Tableland Bioregion	-	-	-	4.45	132
934 - Messmate open forest of the tableland edge of the NSW North Coast Bioregion and New England Tableland Bioregion	-	-	-	24.09	682
954 - Mountain Ribbon Gum - Messmate open forest of escarpment ranges of the NSW North Coast Bioregion and New England Tableland Bioregion	-	-	-	1.23	69
1194 - Snow Gum - Mountain Gum - Mountain Ribbon Gum open forest on ranges of the NSW North Coast Bioregion and eastern New England Tableland Bioregion	-	-	-	26.20	729
1194 - Snow Gum - Mountain Gum - Mountain Ribbon Gum open forest on ranges of the NSW North Coast Bioregion and eastern New England Tableland Bioregion	Ribbon Gum—Mountain Gum—Snow Gum Grassy Forest/Woodland of the New England Tableland Bioregion	E	-	15.59	427
1604 - Narrow-leaved Ironbark - Grey Box - Spotted Gum shrub - grass woodland of the central and lower Hunter	-	-	-	0.02	1
1691 - Narrow-leaved Ironbark - Grey Box grassy woodland of the central and upper Hunter	-	-	-	0.04	2

Table 2 Updated clearing limits and offset liability for threatened fauna

Species	Common name	BC Act	EPBC Act	Impact (hectares)	Species credit liability
<i>Chalinolobus dwyeri</i>	Large-eared Pied Bat	V	V	17.26	529
<i>Vespadelus troughtoni</i>	Eastern Cave Bat	V	-	17.26	529
<i>Myotis macropus</i>	Southern Myotis	V	-	3.97	91
<i>Cercartetus nanus</i>	Eastern Pygmy-possum	V	-	21.86	839
<i>Phascolarctos cinereus</i>	Koala	E	E	44.80	1591
<i>Petaurus norfolcensis</i>	Squirrel Glider	V	-	15.01	540
<i>Litoria booroolongensis</i>	Booroolong Frog	E	E	0.85	42
<i>Uvidicolus sphyurus</i>	Border Thick-tailed Gecko	V	V	0.18	8
<i>Ninox strenua</i>	Powerful Owl	V	-	14.94	485
<i>Tyto tenebricosa</i>	Sooty Owl	V	-	1.99	114
<i>Ninox connivens</i>	Barking Owl	V	-	80.19	3321
<i>Tyto novaehollandiae</i>	Masked Owl	V	-	14.98	541
<i>Petauroides volans</i>	Southern Greater Glider	E	E	33.81	1162
<i>Dasyurus maculatus</i>	Spotted-tailed Quoll	V	E	43.13	0