

Modification of Development Consent

Section 4.55(1A) of the *Environmental Planning and Assessment Act 1979*

As delegate of the Minister for Planning and Public Spaces, the Independent Planning Commission approves the modification of the development consent referred to in Schedule 1, subject to the conditions in Schedule 2.

INSERT
Member of Commission

INSERT
Member of Commission

Sydney

2024

SCHEDULE 1

The development consent (SSD 7592) for the Western Coal Services Project, granted by the Planning Assessment Commission, as delegate of the Minister for Planning and Infrastructure, on 4 April 2014.

SCHEDULE 2

1. In the list of Definitions in Schedule 1, delete the terms “Minister”, “RMS” and “Secretary” including their definitions, and insert the following in alphabetical order:

Minister
Planning Secretary
TfNSW

Minister for Planning and Public Spaces, or delegate
Planning Secretary of the Department, or nominee
Transport for NSW

2. In the definition for “EIS”;
 - a. delete “and” at the end of the definition for “MOD 3”;
 - b. delete the fullstop at the end of the definition for “MOD 4” and insert the following:

; and:
 - MOD 6 – *Springvale Water Treatment Plant and Western Coal Services Modification report for modifications to SSD-7592 (MOD10) and SSD-5579 (MOD6)* (dated October 2023), including the associated Response to Submissions Report (dated 12 December 2023) and additional information dated 14 December 2023.
3. Replace all references to “Secretary” with “Planning Secretary”.
4. Replace all references to “RMS” with “TfNSW”.
5. In condition 8A of Schedule 2, following the words “Springvale Water Treatment Project”, insert “(subject to the exception in condition 8B below)”.
6. Renumber condition 8B of Schedule 2 to condition 8C.
7. After condition 8A of Schedule 2, insert the following:
 - 8B. Between the date of approval of MOD 6 until 30 April 2024, the Applicant must not receive or emplace more than 0.50 megalitres per day (annual average) or 1.0 megalitres per day (daily maximum) of residual waste from the Springvale Water Treatment Project.

End of modification
(SSD 5579 MOD 6)