

MATTHEW DYER

Submission ID: 202351

Organisation: N/A

Location: New South Wales

Supporting materials uploaded: Attached overleaf

Submission date: 10/3/2024 2:21:15 PM

Topic 1. Sustainability of current and future forestry operations in NSW

I believe the industry needs set guidelines instead of the government taking more area to put into parks.

There is no confidence in investment due to government continually taking land resources which reduces capability to supply.

Inability of government to completely eject green protestors from work sites creating more pressure on Forest NSW and the industry.

Propaganda and lies projected to the wider community through the green groups that are certainly not sustained truths thus impacting on the unknowing broader community decisions on native timber industry.

Public native forests undergo selective harvesting and only .5% of the forest is harvested annually.

Topic 2. Environmental and cultural values of forests, including threatened species and Aboriginal cultural heritage values

The protocol that loggers have to follow are considered the most stringent in the world.

All harvesters are qualified and accredited in soil and water education. All care is taken with each harvest to ensure that no species are threatened and that all Aboriginal cultural areas are left undisturbed.

Logging and sawmilling is particularly important along the coast as it creates employment both directly and indirectly as some of the LGA's socially and economically are not deprived because of lack of industries in their local areas.

Hardwood plantations do not have the same physical qualities of native grown timber for many reasons. One being, species and another is the speed of which it is grown adding to a large cross section of defects and sawing and or drying timber and freeness and splitting and bowing of the finished products and a wide range of species is needed to cover many different products eg; turpentine piles, durability class 1 timbers for railways, government and NPWS, wharf timbers and flooring and housing timbers.

It has been proven by various studies that the numbers of koalas has increased under Forest Management. There is no threat to the koala population.

This so-called koala park is perfect evidence that the logging in the past has helped the koalas' environment to propagate the species as by all accounts they're saying that it's a high koala use area.

I have attached a Koala Report undertaken by CSIRO for your attention which clearly states that koala numbers have increased under forest management.

Through my own personal 20-odd years working in the timber harvesting industry, wherever I looked I could find evidence of where koalas had been across many forest types even though I have seldom actually ever sighted a koala.

It is a point of fact that the number of koalas has increased under forest management. Refer to my attachment.

Topic 3. Demand for timber products, particularly as relates to NSW housing, construction, mining, transport and retail

Being situated on the Mid North Coast of NSW I have found that demand for timber products continues to be high.

Without native forestry operations, a significant impact would be felt in the availability of hardwood timber which is essential for infrastructure, transport and mining.

As a sawmiller, I receive a wide range of native timber resources and grades, the pole timbers are automatically sorted out in the forests and trucked to the pole companies and piles for jetties etc. I service a large range of products depending on the species and quality ranging from stake timber, pallets, mining timber, construction for housing, landscape and fencing that goes interstate. Largely I cut high quality flooring, stair tread timbers and furniture timbers. Most of which are dried and machined for sale at MRH in Kempsey thus creating further local employment.

Railway sleepers and transoms have been supplied in the past and supplied to NPWS together with bridge timbers for local councils.

Without the timber industry supporting the local community by way of providing jobs, there would be a substantial increase in fuel & freight costs and price rises which would most certainly be hugely detrimental to the community.

Topic 4. The future of softwood and hardwood plantations and the continuation of Private Native Forestry in helping meet timber supply needs

I gain a large percentage of resources from PNF which allows me to have a broad range and species and qualities of timber/logs so it gives me a more diverse market to be able to supply a wider range of products of which since the announcement of the GNKP, the PNF has been impacted by the larger players in the industry by competing for the PNF resource and being very successful by offering exuberant monetary rates for resource which I cannot compete against. The PNF runs at a level, it cannot be ramped up, it's private entities needing a cash boost which is largely the driver for them to obtain a PNF and in my opinion if the GNKP is implemented, the laws in PNF will change largely locking up the majority of all PNF creating involuntary national parks out of private property at the landowner and sawmillers and associated business expense. On the plantation side of things, it is difficult to plan for plantations when the government keeps relinquishing properties to national parks.

The greens protest and blockade plantations, just the same. Perhaps some education could be helpful in providing accurate information on what actually occurs.

Topic 5. The role of State Forests in maximising the delivery of a range of environmental, economic and social outcomes and options for diverse management, including Aboriginal forest management models

It has been documented that .5% of state forests have been logged and harvested annually and only 12 % of the state is gazetted for logging.

Where does the 88% come into it in comparison to all the uses in conservations criteria. The question is asked. Do they not exist in these areas?

Regarding Aboriginal forest management models, I am not aware of any attempts or achievements in this area.

In my opinion the silver cultural and ecological criteria to which Forest NSW is responsible, is quite a credit to them in so much of the management of the areas logged and the benefit of the forests, the flora and fauna protection zones, soil and water management criteria which State Forests adhere to and still manage to provide access to local communities in forested areas, provisions of

roads to local communities and visitors (tourists), picnic areas and areas gazetted for different activities such as bike riding, horse riding, bushwalking and bee-keeping.

Let's not forget that during the COVID pandemic, the timber industry was deemed to be an essential industry. What has changed?

Topic 6. Opportunities to realise carbon and biodiversity benefits and support carbon and biodiversity markets, and mitigate and adapt to climate change risks, including the greenhouse gas emission impacts of different uses of forests and assessment of climate change risks to forests

The harvesting of trees in any compartment facilitates the growth of seedlings and new forest which in turn absorbs the carbon from the young growing forest and in most cases accelerates food source for many of the flora and fauna in the forested area.

With retention of habitat trees, recruitment trees and large trees it facilitates homes for the animals and birds that need hollows for breeding and as the forest progresses it gives them more flowers etc which in turn attracts more insects to pollinate for feeding.

There has not been enough hazard reduction burns, everyone seems to have forgotten since 2019, the human outcry was to back burn more but legislation in most cases makes it legally impossible to burn and we are all aware what wild fires can do when there has not been significant hazard reduction burns.



Australia's National
Science Agency

2024 update of National Koala Population estimates

Supporting documentation for the
2024 update of the NKMP National
koala population approach

15 April 2024

Citation

CSIRO (2024). *2024 update of National Koala Population estimates*. Progress Report. CSIRO

Copyright

© Commonwealth Scientific and Industrial Research Organisation 2022. To the extent permitted by law, all rights are reserved and no part of this publication covered by copyright may be reproduced or copied in any form or by any means except with the written permission of CSIRO.

Important disclaimer

CSIRO advises that the information contained in this publication comprises general statements based on scientific research. The reader is advised and needs to be aware that such information may be incomplete or unable to be used in any specific situation. No reliance or actions must therefore be made on that information without seeking prior expert professional, scientific and technical advice. To the extent permitted by law, CSIRO (including its employees and consultants) excludes all liability to any person for any consequences, including but not limited to all losses, damages, costs, expenses and any other compensation, arising directly or indirectly from using this publication (in part or in whole) and any information or material contained in it.

CSIRO is committed to providing web accessible content wherever possible. If you are having difficulties with accessing this document please contact csiro.au/contact.

Table of Contents

Table of Contents 1

1 Introduction 2

1.1 Background 2

1.2 Advances in this update 3

2 Results 4

2.1 Population estimates 4

2.2 Distribution 6

3 Limitations and next steps 8

1 Introduction

This report provides the background to the National Koala Monitoring Program's second annual reporting of the estimated national population of koalas. Contained in this report are contemporary estimates for both the listed (Queensland, New South Wales and the Australian Capital Territory) and the unlisted (Victoria and South Australia) populations, alongside mapping of the current estimated distributions for these areas. We detail the modelling and data assumptions used to derive this estimate, and give background to the approach and inputs used. The results of this study are being prepared into a peer reviewed scientific paper which will be made available online once published.

1.1 Background

In February 2022, the koala (combined populations of Queensland, New South Wales, and the Australian Capital Territory) was up-listed to 'Endangered' under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act). Previous estimates have relied on more qualitative approaches such as expert elicitation to try and fill this gap.

The National Koala Monitoring Program (NKMP) provides a robust, data-driven approach to deriving koala population estimates across both the koala's listed (Qld, NSW, ACT) and unlisted (Vic and SA) ranges. The program is achieving this by designing and implementing an inclusive monitoring and modelling approach which enables the integration of multiple different sources of data and knowledge into processes which are established to ensure a long-lasting and robust monitoring program. Since the March 2023 release of the preliminary baseline estimate the NKMP has:

- Published a novel statistical methodology which has been used to create the National monitoring design (Foster et al 2023a)
- Conducted 214 koala surveys within regional QLD, which follow the national design, surveying a combined distance of 1,057 km.
- Collected information on the location and abundance of 67 non-koala species, including 51 sightings of the Endangered greater glider.
- Koala Spotter (one of our data collection applications) has gained 430 unique users and has been used to spot 270 koalas.
- The NKMP has connected with >1,500 individuals across 348 activities right across koala conservation, science and policy spaces.
- Published the analytical approach and software package being used to develop the NKMP National koala model (Foster et al 2023b)

In March 2023, the National Koala Monitoring Program (NKMP) provided a "preliminary national baseline population estimate for koalas". Details of this 2023 estimate are reported [here](#). This estimate was in two parts, namely a distribution map and a population estimate for each of the north, the south, and the combined/national populations. Whilst preliminary, this 2023 estimate

was unlike previous estimates in that it was based solely on data, and not expert opinion about distribution and abundance.

The challenges in providing a solely data-driven estimate remain the same as for the 2023 estimate: namely that the data are limited, fragmented and contain bias as well as signal. The preliminary 2023 estimate was enabled by two distinct advances. The first of these was a concerted effort to collate koala presence, absence, and abundance data from a wide range of sources (individuals, research organisations, community groups, local governments, and state governments). This effort had been neglected up until this point. The second advance was an analytical framework to combine all these disparate sources and types of data. This methodology was, and still is, right at the forefront of statistical ecology.

This report presents a snapshot of the on-going efforts to refine the preliminary estimates. There are multiple avenues being progressed to make these improvements: 1) new data collected by the NKMP and its partners, 2) refined data handling procedures, 3) furthering intuitive understanding of the likely sources of non-koala variation (ie patterns induced by piecemeal data collection), 4) improvements and refactoring of the statistical model and the associated analysis code, and 5) establishment of a broader community of koala modellers. All these advances lead to a better understanding of the data and the patterns that they describe.

1.2 Advances in this update

The baseline assumptions of the model remain the same as the previous update and can be found [here](#). This update is the result of many improvements to the analysis process. Some of the changes are small and have not been explicitly mentioned. However, the more noteworthy improvements/developments that have contributed to this estimate include:

1. Inclusion of new survey data. Notably those collected throughout Queensland as part of the NKMP backbone survey design.
2. Compiled, extended, curated, and refined our database of koala data.
 - a. Established a network of custodians of koala data.
 - b. Established a set of robust and updatable rules for cleaning publicly available koala presence-only data.
 - c. Performed a close inspection of all data, with particular focus on more variable data sources and have removed noisy and spurious data.
 - d. Harmonised metadata to encode more consistent description of sampling practises between datasets.
3. Identified and sourced a best-available set of environmental variables which can explain koala distribution
 - a. Refined our national model for koala feed trees.
 - b. Elicited drivers of koala distribution and linked them to environmental variables.
4. Assessed, refined and encoded the spatial patterns of human search effort for wildlife.
5. Identified, implemented, refined and tested a statistical framework for bringing together disparate sources of data which is now peer reviewed and published (Foster et al 2023b)
6. Established a network of koala and ecological modellers to help refine and review the NKMP's modelling efforts.

2 Results

The NKMP modelling approach is developed to enable the integration of all available data sources to provide the best possible, national scale, estimates of koala population and distribution. The results presented here highlight this approach using datasets collected over the past 10 years. As the national program is deployed we will be able to update these estimates of the current state of the population with increasing confidence. It is also expected that the impact of any significant events in recent years will become clearer as more contemporary data is collected and modelled.

2.1 Population estimates

The national baseline estimate presented in this report is delivered with wide confidence bounds, representing the relative uncertainty of generating a large-scale estimate from currently available data sources. This is not surprising as the datasets used to derive this estimate are varied and do not represent a high-quality sample of all the possible places that koalas can be found across their range. The NKMP monitoring design has been developed to counter this challenge and, as such, our confidence in subsequent estimates will increase as the technical monitoring backbone of the program is fully deployed.

Our current best available estimate for koala population size at national and population scales are given in Table 1. These estimates are broadly in line with previous estimates but are slightly smaller. Other estimates of koala populations at large scales, across a similar timeframe, tended to have wide confidence margins and are highly varied between different studies (Table 2). **Table 1.**

Updated NKMP estimates of koala populations (2024)

Region	Population Estimate
Aus	224k – 524k
Sth	129k – 286k
Nth	95k – 238k

Table 2. Previous published estimates of koala populations size

Year	2001	2012	2014	2018	2020	2020	2021	2021	2023	
Source	SA Gov ¹	SA Gov ¹	Adams–Hosking <i>et al.</i> (2016) ²	IUCN ³	AKF ⁴	Heard & Ramsay (2020) ⁵	NSW Gov ⁶	AKF ⁴	Federal CA ⁷ based on Adams–Hosking <i>et al.</i> (2016)	NKMP (initial estimate)
Aus			331,000 (144k–605k)	300,000 (100k–500k)	45,000–82,000			32,000–58,000		287,830 – 628,010

Sth										170,780 – 383,570
Nth									92,184	117,050 – 244,440
Qld			79,000 (33k–153k)		10,090–19,150			6,455–12,085		
NSW			36,000 (14k–73k)		11,010–15,520		20,000 (15k–30k)	6,040–9,605		
Vic			183,000 (77k–327k)		14,280–27,640	Native: 413,000 Plantation: 47,000		11,950–23,080		
SA	Kangaroo Island : 27,000	Adelaide Hills & Mt Lofty Ranges: 114,000	33,000 (19k–51k)		Excl. KI: 10,355–19,840			Excl. KI: 7,615–13,150		

Sources of previous regional and national koala estimates

¹SA Gov: The South Australian Koala Conservation and Management

Strategy <https://cdn.environment.sa.gov.au/environment/docs/koala-conservation-and-management-strategy-gen.pdf>

²Adams-Hosking et al. (2016) <https://onlinelibrary.wiley.com/doi/epdf/10.1111/ddi.12400>

³IUCN: <https://www.iucnredlist.org/species/16892/166496779>

⁴AKF: Koala Population Estimates. <https://www.savethekoala.com/wp-content/uploads/2021/09/KoalaEstimates2021.pdf>

⁵Heard & Ramsey: Modelling Koala abundance across Victoria.

https://www.wildlife.vic.gov.au/__data/assets/pdf_file/0022/512752/Heard-and-Ramsey_Koala_Popn_Assessment_FINAL.pdf

⁶NSW Gov: <https://www.environment.nsw.gov.au/-/media/OEH/Corporate-Site/Documents/Animals-and-plants/Threatened-species/koala-strategy-2022-220075.pdf>

⁷Federal Conservation

advice: <http://www.environment.gov.au/biodiversity/threatened/species/pubs/85104-conservation-advice-12022022.pdf> Note: Population estimates are based on Adams-Hosking et al. (2016) with a percent decline based on expert-elicitation values for bioregional population declines.

2.2 Distribution

The results shown in Figure 1 and Figure 2 represent our current best estimate of the realised distribution of koalas, given the environmental and search effort within each spatial location. This distribution includes the climatic and landscape drivers of koala distribution as well as spatially smooth random variation that is a common feature of wildlife distribution. Maps represent the ‘probability that at-least one koala is present within a cell’ so can be interpreted as green tones meaning a likely presence of koalas, to peach tones meaning a low probability that koalas are present in this location. Importantly, in contrast to many of the more commonly presented distributional approaches we can deliver these estimates with associated upper and lower boundaries of confidence. Like our population estimates, the wide range of these confidence bounds highlights the difficulties in creating estimates from fragmented and limited data sources.




Figure 1. The predicted distribution of koalas across their listed range – QLD, NSW, ACT. Large panel on the left shows the median predictions whereas smaller panels show the upper and lower confidence estimates for the distribution. Grid cell size \approx 2 km.




Figure 2. The predicted distribution of koalas across their unlisted range – VIC and SA. Large panel on the above shows the median predictions whereas smaller panels below show the upper and lower confidence estimates for the distribution. Grid cell size \approx 2 km.

3 Limitations and next steps

The NKMP team have worked to address many of the data and model design challenges for this update, overall producing a much more robust and defined model. However we acknowledge that the current model has some limitations/uncertainties. In particular the current model is:


- reliant on historic koala survey data with insufficient amounts of contemporary survey data in all areas. There has been significant data collection efforts within regional QLD that have been included in this update, however, other contemporary efforts in other regions are still being processed before being made available to the model
- likely achieving a poor characterisation of overabundant populations within the Southern part of the species range. If true this would have the effect of reducing population predictions relative to the true population within those areas.

The NKMP modelling team, and koala modelling working group, are actively working to address these uncertainties and plan to produce a revised update in September 2024. This update will aim to further refine the model and address these limitations by:

- 1) Obtaining new data, especially nationally consistent data. The distribution pattern in the northern part of Queensland has been refined substantially. In the time before the next update, we expect to have a substantial amount of contemporary data from the NKMP and from its collaborating partners within other regions.
- 2) Utilise the established network of koala modellers to help refine and to validate the NKMP's modelling efforts.
- 3) Perform a sensitivity analysis to investigate how sensitive the estimates are to changes in the model's assumptions.
- 4) Extend the model (or investigate the impact of these assumptions)

Additional future developments will include:

- 1) Preparing a framework for assessing the effect of adding new, national, data
- 2) Encoding space-time processes into the model to enable the koala distribution to vary through time and improve our ability to detect temporal changes in populations
- 3) Preferential sampling, to allow for the possibility that surveys have been historically performed where koalas are thought to occur.



As Australia's national science agency and innovation catalyst, CSIRO is solving the greatest challenges through innovative science and technology.

CSIRO. Unlocking a better future for everyone.

Contact us

1300 363 400
+61 3 9545 2176
[csiro.au/contact](https://www.csiro.au/contact)
[csiro.au](https://www.csiro.au)